

Zip Tube Micro




Slim, precise spotlight for Zip 230V tracking system. The luminaire has a minimalist, exclusive look. The black bezel ring reduces glare; the white one reflects more light, and the gold-coloured one provides a warmer light. Zip Tube Micro comes with a black bezel as standard, with low glare. Other bezels in white and gold are available as accessory. This allows for creative individual designs. The black bezel has low glare, the gold gives a warmer light, and the white reflects the most.


Zip Tube Micro



Product- and environment images



Zip Tube Micro



For line drawing dimensions please see each single article codes on next page

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 320607 Zip Tube Micro Black DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED 49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135
 320872 Zip Tube Micro Brass DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED 49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135
 320603 Zip Tube Micro White DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED 49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135
 320604 Zip Tube Micro Black 360lm 2700K Ra 98 Trailing edge 7W LED 51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135
 320870 Zip Tube Micro Brass 360lm 2700K Ra 98 Trailing edge 7W LED 51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135
 320600 Zip Tube Micro White 360lm 2700K Ra 98 Trailing edge 7W LED 51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 320605 Zip Tube Micro Black 370lm 3000K Ra 98 Trailing edge 7W LED 53 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135
 320871 Zip Tube Micro Brass 370lm 3000K Ra 98 Trailing edge 7W LED 53 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135
 320601 Zip Tube Micro White 370lm 3000K Ra 98 Trailing edge 7W LED 53 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L135 x W39 x H135
Accessories				
 320681 Tube Micro Black Ø39 Bezel				Ø37 x H11
 320682 Tube Micro Gold Ø39 Bezel				Ø37 x H11
 320756 Tube Micro Opal 10mm Decoration ring				Ø39 x H21
 320680 Tube Micro White Ø39 Bezel				Ø37 x H11