

Zip Tube Micro Pendant



Minimalist, slim pendant for use in a Zip rail system. Perfectly suited above the kitchen counter, the dining table or in a window. Made of powder-coated, die-cast aluminium and available in black or white finish. The retracted light source causes minimal glare and can be dimmed with phase control dimmer. Zip Tube Micro Pendant comes with a black bezel as standard, with low glare. Other bezels in white and gold are available as accessory. This allows for creative individual designs. The black bezel has low glare, the gold gives a warmer light, and the white reflects the most.


Zip Tube Micro Pendant



Product- and environment images



Zip Tube Micro Pendant



For line drawing dimensions please see each single article codes on next page

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
  320505 Zip Tube Micro Pendant 340mm Black DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED 49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø39 x H354
  320514 Zip Tube Mini Pendant 490mm Black DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED 49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø39 x H504
 320631 Zip Tube Micro Pendant 190mm Black DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED 49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L204 x W39 x H204
  320508 Zip Tube Micro Pendant 340mm Brass DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED 49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø39 x H354
  320517 Zip Tube Micro Pendant 490mm Brass DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED 49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø39 x H504
 320875 Zip Tube Micro Pendant 190mm Brass DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L204 x W39 x H204

Article codes



Article	49 lm/W SDCM:3	Protection	Control gear	Mounting/Connection	Dimensions
 Not released yet	L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø39 x H354
	Zip Tube Mini Pendant 340mm White DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED				
 Not released yet	49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø39 x H504
	Zip Tube Micro Pendant 490mm White DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED				
	49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L204 x W39 x H204
	Zip Tube Micro Pendant 190mm White DimToWarm 340lm 2000-2800K Ra>95 Trailing edge 7W LED				
 Not released yet	49 lm/W SDCM:3 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø39 x H354
	Zip Tube Micro Pendant 340mm Black 360lm 2700K Ra 98 Trailing edge 7W LED				
 Not released yet	51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø39 x H504
	Zip Tube Mini Pendant 490mm Black 360lm 2700K Ra 98 Trailing edge 7W LED				
	51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II IP20	Trailing edge	Surface, Indoor Zip track (adapter included)	L204 x W39 x H204
	Zip Tube Micro Pendant 190mm Black 360lm 2700K Ra 98 Trailing edge 7W LED				

Article codes



Article	51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Protection	Control gear	Mounting/Connection	Dimensions
 <i>Not released yet</i>	320506	Class II	Trailing edge	Surface, Indoor	Ø39 x H354
	Zip Tube Micro Pendant 340mm	IP20		Cable 3m	
	Brass 360lm 2700K Ra 98 Trailing edge			Zip track (adapter included)	
	7W LED				
 <i>Not released yet</i>	51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II	Trailing edge	Surface, Indoor	Ø39 x H504
	320515	IP20		Cable 3m	
	Zip Tube Micro Pendant 490mm			Zip track (adapter included)	
	Brass 360lm 2700K Ra 98 Trailing edge				
 <i>Not released yet</i>	51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II	Trailing edge	Surface, Indoor	L204 x W39 x H204
	320873	IP20		Zip track (adapter included)	
	Zip Tube Micro Pendant 190mm				
	Brass 360lm 2700K Ra 98 Trailing edge				
 <i>Not released yet</i>	51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II	Trailing edge	Surface, Indoor	Ø39 x H354
	320500	IP20		Cable 3m	
	Zip Tube Micro Pendant 340mm			Zip track (adapter included)	
	White 360lm 2700K Ra 98 Trailing edge				
 <i>Not released yet</i>	51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II	Trailing edge	Surface, Indoor	Ø39 x H504
	320509	IP20		Cable 3m	
	Zip Tube Micro Pendant 490mm			Zip track (adapter included)	
	White 360lm 2700K Ra 98 Trailing edge				
 <i>Not released yet</i>	51 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	Class II	Trailing edge	Surface, Indoor	L204 x W39 x H204
	320624	IP20		Zip track (adapter included)	
	Zip Tube Micro Pendant 190mm				
	White 360lm 2700K Ra 98 Trailing edge				
 <i>Not released yet</i>					

Article codes



Article	51 lm/W SDCM:2	Protection	Control gear	Mounting/Connection	Dimensions
 Not released yet L90/B10>50,000 Beam: 40°, Direct, Reflector medium	320504	Class II	Trailing edge	Surface, Indoor	Ø39 x H354
	Zip Tube Micro Pendant 340mm	IP20		Cable 3m	
	Black 370lm 3000K Ra 98 Trailing edge			Zip track (adapter included)	
	7W LED				
 Not released yet 53 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	320513	Class II	Trailing edge	Surface, Indoor	Ø39 x H504
	Zip Tube Micro Pendant 490mm	IP20		Cable 3m	
	Black 370lm 3000K Ra 98 Trailing edge			Zip track (adapter included)	
	7W LED				
 Not released yet 53 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	320629	Class II	Trailing edge	Surface, Indoor	L204 x W39 x H204
	Zip Tube Micro Pendant 190mm	IP20		Zip track (adapter included)	
	Black 370lm 3000K Ra 98 Trailing edge				
	7W LED				
 Not released yet 53 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	320507	Class II	Trailing edge	Surface, Indoor	Ø39 x H354
	Zip Tube Micro Pendant 340mm	IP20		Cable 3m	
	Brass 370lm 3000K Ra 98 Trailing edge			Zip track (adapter included)	
	7W LED				
 Not released yet 53 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	320516	Class II	Trailing edge	Surface, Indoor	Ø39 x H504
	Zip Tube Micro Pendant 490mm	IP20		Cable 3m	
	Brass 370lm 3000K Ra 98 Trailing edge			Zip track (adapter included)	
	7W LED				
 Not released yet 53 lm/W SDCM:2 L90/B10>50,000 Beam: 40°, Direct, Reflector medium	320874	Class II	Trailing edge	Surface, Indoor	L204 x W39 x H204
	Zip Tube Micro Pendant 190mm	IP20		Zip track (adapter included)	
	Brass 370lm 3000K Ra 98 Trailing edge				
	7W LED				

Article codes



Article	53 lm/W SDCM:2	Protection	Control gear	Mounting/Connection	Dimensions
 Not released yet	L90/B10>50,000	Class II	Trailing edge	Surface, Indoor	Ø39 x H354
	320501	IP20		Cable 3m	
	Zip Tube Micro Pendant 340mm			Zip track (adapter included)	
	White 370lm 3000K Ra 98 Trailing edge				
 Not released yet	7W LED				
	53 lm/W SDCM:2				
	L90/B10>50,000				
	Beam: 40°, Direct, Reflector medium				
	320510	Class II	Trailing edge	Surface, Indoor	Ø39 x H504
	Zip Tube Micro Pendant 490mm	IP20		Cable 3m	
	White 370lm 3000K Ra 98 Trailing edge			Zip track (adapter included)	
	7W LED				
	53 lm/W SDCM:2				
	L90/B10>50,000				
	Beam: 40°, Direct, Reflector medium				
	320625	Class II	Trailing edge	Surface, Indoor	L204 x W39 x H204
	Zip Tube Micro Pendant 190mm	IP20		Zip track (adapter included)	
	White 370lm 3000K Ra 98 Trailing edge				
	7W LED				
	53 lm/W SDCM:2				
	L90/B10>50,000				
	Beam: 40°, Direct, Reflector medium				
	320630	Class II	Trailing edge	Surface, Indoor	L204 x W39 x H204
	Zip Tube Micro Pendant 190mm	IP20		Zip track (adapter included)	
	Black 380lm 4000K Ra 98 Trailing edge				
	7W LED				
	54 lm/W SDCM:2				
	L90/B10>50,000				
	Beam: 40°, Direct, Reflector medium				
	3109				L93 x W32 x H62
	Shopline Black Pendant Adapter				
	3163				Ø114 x H135
	Black Ceiling Box for Pendant				
	314331				Ø102 x H25
	Black Round Ceiling Box for Pendant				

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 314334 Black Recessed Ceiling Box for Pendant				Ø94 x H51
 320681 Tube Micro Black Ø39 Bezel				Ø37 x H11
 320682 Tube Micro Gold Ø39 Bezel				Ø37 x H11
 320756 Tube Micro Opal 10mm Decoration ring				Ø39 x H21
 3108 Shoplevel White Pendant Adapter				L93 x W32 x H62
 3164 White Ceiling Box for Pendant				Ø114 x H135
 314332 White Round Ceiling Box for Pendant				Ø102 x H25
 314333 White Recessed Ceiling Box for Pendant				Ø94 x H51
 320680 Tube Micro White Ø39 Bezel				Ø37 x H11