

# Zip Tube Mini Pendant



Zip Tube Mini Pendant can be used as both 1-circuit and 3-circuit depending on the adapter. If you choose rail-mounted, the pendant luminaire can also be combined with spotlights in the same product family. It can also be fitted as a single, with ceiling roses available. The tubular luminaire with its fabric cable is suitable for an endless number of locations, such as bar tables, kitchen counters, cafés and windows. The raised light source gives minimal dazzling and a focused light. The basic design has a black baffle, but the inner ring can be unscrewed and replaced with a white or gold version (accessory). This allows for creative individual designs. The black provides less dazzle, the gold gives a warmer light, and the white reflects the most.

# Zip Tube Mini Pendant



## Product- and environment images



# Article codes



| Article                                                                                                                                                                                                                                                                                                                                         | Protection                                | Control gear  | Mounting/Connection                                                        | Dimensions |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------|---------------|----------------------------------------------------------------------------|------------|
|  <p><i>Not released yet</i></p> <p>320520</p> <p><b>Zip Tube Micro Pendant 385mm</b></p> <p><b>Black 880lm 2700K Ra 98 Trailing edge</b></p> <p><b>14W LED</b></p> <p>63 lm/W SDCM:2</p> <p>L90/B10&gt;100,000</p> <p>Beam: 40°, Direct, Reflector medium</p>  | <p><b>Class II</b></p> <p><b>IP20</b></p> | Trailing edge | <p>Surface, Indoor</p> <p>Cable 3m</p> <p>Zip track (adapter included)</p> | Ø59 x H399 |
|  <p><i>Not released yet</i></p> <p>320526</p> <p><b>Zip Tube Mini Pendant 555mm</b></p> <p><b>Black 880lm 2700K Ra 98 Trailing edge</b></p> <p><b>14W LED</b></p> <p>63 lm/W SDCM:2</p> <p>L90/B10&gt;100,000</p> <p>Beam: 40°, Direct, Reflector medium</p>   | <p><b>Class II</b></p> <p><b>IP20</b></p> | Trailing edge | <p>Surface, Indoor</p> <p>Cable 3m</p> <p>Zip track (adapter included)</p> | Ø59 x H569 |
|  <p>320644</p> <p><b>Zip Tube Mini Pendant 215mm</b></p> <p><b>Black 880lm 2700K Ra 98 Trailing edge</b></p> <p><b>14W LED</b></p> <p>63 lm/W SDCM:2</p> <p>L90/B10&gt;100,000</p> <p>Beam: 40°, Direct, Reflector medium</p>                                 | <p><b>Class II</b></p> <p><b>IP20</b></p> | Trailing edge | <p>Surface, Indoor</p> <p>Cable 3m</p> <p>Zip track (adapter included)</p> | Ø59 x H215 |
|  <p><i>Not released yet</i></p> <p>320522</p> <p><b>Zip Tube Mini Pendant 385mm</b></p> <p><b>Brass 880lm 2700K Ra 98 Trailing edge</b></p> <p><b>14W LED</b></p> <p>63 lm/W SDCM:2</p> <p>L90/B10&gt;100,000</p> <p>Beam: 40°, Direct, Reflector medium</p> | <p><b>Class II</b></p> <p><b>IP20</b></p> | Trailing edge | <p>Surface, Indoor</p> <p>Cable 3m</p> <p>Zip track (adapter included)</p> | Ø59 x H399 |
|  <p><i>Not released yet</i></p> <p>320528</p> <p><b>Zip Tube Mini Pendant 555mm</b></p> <p><b>Brass 880lm 2700K Ra 98 Trailing edge</b></p> <p><b>14W LED</b></p> <p>63 lm/W SDCM:2</p> <p>L90/B10&gt;100,000</p> <p>Beam: 40°, Direct, Reflector medium</p> | <p><b>Class II</b></p> <p><b>IP20</b></p> | Trailing edge | <p>Surface, Indoor</p> <p>Cable 3m</p> <p>Zip track (adapter included)</p> | Ø59 x H569 |
|  <p>320880</p> <p><b>Zip Tube Mini Pendant 215mm</b></p> <p><b>Brass 880lm 2700K Ra 98 Trailing edge</b></p> <p><b>14W LED</b></p>                                                                                                                           | <p><b>Class II</b></p> <p><b>IP20</b></p> | Trailing edge | <p>Surface, Indoor</p> <p>Cable 3m</p> <p>Zip track (adapter included)</p> | Ø59 x H215 |

# Article codes



| Article                                                                                                 | 63 lm/W SDCM:2                                                                                                 | Protection                     | Control gear  | Mounting/Connection                                         | Dimensions |
|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|--------------------------------|---------------|-------------------------------------------------------------|------------|
| <br>Not released yet   | L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                                                         | <b>Class II</b><br><b>IP20</b> | Trailing edge | Surface, Indoor<br>Cable 3m<br>Zip track (adapter included) | Ø59 x H399 |
|                                                                                                         | 320518<br><b>Zip Tube Mini Pendant 385mm</b><br><b>White 880lm 2700K Ra 98 Trailing edge</b><br><b>14W LED</b> |                                |               |                                                             |            |
| <br>Not released yet   | 63 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                                       | <b>Class II</b><br><b>IP20</b> | Trailing edge | Surface, Indoor<br>Cable 3m<br>Zip track (adapter included) | Ø59 x H569 |
|                                                                                                         | 320524<br><b>Zip Tube Mini Pendant 555mm</b><br><b>White 880lm 2700K Ra 98 Trailing edge</b><br><b>14W LED</b> |                                |               |                                                             |            |
|                       | 63 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                                       | <b>Class II</b><br><b>IP20</b> | Trailing edge | Surface, Indoor<br>Cable 3m<br>Zip track (adapter included) | Ø59 x H215 |
|                                                                                                         | 320640<br><b>Zip Tube Mini Pendant 215mm</b><br><b>White 880lm 2700K Ra 98 Trailing edge</b><br><b>14W LED</b> |                                |               |                                                             |            |
| <br>Not released yet | 63 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                                       | <b>Class II</b><br><b>IP20</b> | Trailing edge | Surface, Indoor<br>Cable 3m<br>Zip track (adapter included) | Ø59 x H399 |
|                                                                                                         | 320521<br><b>Zip Tube Mini Pendant 385mm</b><br><b>Black 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> |                                |               |                                                             |            |
| <br>Not released yet | 64 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                                       | <b>Class II</b><br><b>IP20</b> | Trailing edge | Surface, Indoor<br>Cable 3m<br>Zip track (adapter included) | Ø59 x H569 |
|                                                                                                         | 320527<br><b>Zip Tube Mini Pendant 555mm</b><br><b>Black 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> |                                |               |                                                             |            |
|                      | 64 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                                       | <b>Class II</b><br><b>IP20</b> | Trailing edge | Surface, Indoor<br>Cable 3m<br>Zip track (adapter included) | Ø59 x H215 |
|                                                                                                         | 320645<br><b>Zip Tube Mini Pendant 215mm</b><br><b>Black 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> |                                |               |                                                             |            |

# Article codes



| Article                                                                                                                                                                             | 64 lm/W SDCM:2                                                                                       | Protection      | Control gear  | Mounting/Connection                      | Dimensions |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-----------------|---------------|------------------------------------------|------------|
| <br>Not released yet<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                     | 320523                                                                                               | <b>Class II</b> | Trailing edge | Surface, Indoor                          | Ø59 x H399 |
|                                                                                                                                                                                     | <b>Zip Tube Mini Pendant 385mm</b><br><b>Brass 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> | <b>IP20</b>     |               | Cable 3m<br>Zip track (adapter included) |            |
| <br>Not released yet<br>64 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium   | 320529                                                                                               | <b>Class II</b> | Trailing edge | Surface, Indoor                          | Ø59 x H569 |
|                                                                                                                                                                                     | <b>Zip Tube Mini Pendant 555mm</b><br><b>Brass 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> | <b>IP20</b>     |               | Cable 3m<br>Zip track (adapter included) |            |
| <br>64 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                      | 320881                                                                                               | <b>Class II</b> | Trailing edge | Surface, Indoor                          | Ø59 x H215 |
|                                                                                                                                                                                     | <b>Zip Tube Mini Pendant 215mm</b><br><b>Brass 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> | <b>IP20</b>     |               | Cable 3m<br>Zip track (adapter included) |            |
| <br>Not released yet<br>64 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium | 320519                                                                                               | <b>Class II</b> | Trailing edge | Surface, Indoor                          | Ø59 x H399 |
|                                                                                                                                                                                     | <b>Zip Tube Mini Pendant 385mm</b><br><b>White 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> | <b>IP20</b>     |               | Cable 3m<br>Zip track (adapter included) |            |
| <br>Not released yet<br>64 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium | 320525                                                                                               | <b>Class II</b> | Trailing edge | Surface, Indoor                          | Ø59 x H569 |
|                                                                                                                                                                                     | <b>Zip Tube Mini Pendant 555mm</b><br><b>White 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> | <b>IP20</b>     |               | Cable 3m<br>Zip track (adapter included) |            |
| <br>64 lm/W SDCM:2<br>L90/B10>100,000<br>Beam: 40°, Direct, Reflector medium                     | 320641                                                                                               | <b>Class II</b> | Trailing edge | Surface, Indoor                          | Ø59 x H215 |
|                                                                                                                                                                                     | <b>Zip Tube Mini Pendant 215mm</b><br><b>White 900lm 3000K Ra 98 Trailing edge</b><br><b>14W LED</b> | <b>IP20</b>     |               | Cable 3m<br>Zip track (adapter included) |            |
| <b>Accessories</b>                                                                                                                                                                  |                                                                                                      |                 |               |                                          |            |

# Article codes



| Article                                                                             | 64 lm/W SDCM:2                        | Protection | Control gear | Mounting/Connection | Dimensions           |
|-------------------------------------------------------------------------------------|---------------------------------------|------------|--------------|---------------------|----------------------|
| L90/B10>100,000<br>Beam Direct Reflector medium                                     | 3109                                  |            |              |                     | L93 x W32 x H62      |
|    | <b>Shopline Black Pendant Adapter</b> |            |              |                     |                      |
|    | 3163                                  |            |              |                     | Ø114 x H135          |
|                                                                                     |                                       |            |              |                     |                      |
|    | 314331                                |            |              |                     | Ø102 x H25           |
|                                                                                     |                                       |            |              |                     |                      |
|    | 314334                                |            |              |                     | Ø94 x H51            |
|                                                                                     |                                       |            |              |                     |                      |
|    | 320684                                |            |              |                     | Ø55 x L55 x W7 x H18 |
|                                                                                     |                                       |            |              |                     |                      |
|   | 320685                                |            |              |                     | Ø55 x L55 x W7 x H18 |
|                                                                                     |                                       |            |              |                     |                      |
|  | 320757                                |            |              |                     | Ø59 x H38            |
|                                                                                     |                                       |            |              |                     |                      |
|  | 320758                                |            |              |                     | Ø59 x H73            |
|                                                                                     |                                       |            |              |                     |                      |
|  | 3108                                  |            |              |                     | L93 x W32 x H62      |
|                                                                                     |                                       |            |              |                     |                      |
|  | 3164                                  |            |              |                     | Ø114 x H135          |
|                                                                                     |                                       |            |              |                     |                      |
|  | 314332                                |            |              |                     | Ø102 x H25           |
|                                                                                     |                                       |            |              |                     |                      |
|  | 314333                                |            |              |                     | Ø94 x H51            |
|                                                                                     |                                       |            |              |                     |                      |
|  | 320683                                |            |              |                     | Ø55 x L55 x W7 x H18 |