

Zip Tube Mini 3-Circuit



Zip Tube Mini is a stylish and minimalist spotlight designed for Shoptone, but the universal bracket means that it can also be fitted in the most common 3-phase systems on the market. This model is the smaller version of Tube, with a diameter of 59 mm, which is a more compact model in the product range. The basic design has a black baffle, but the inner ring can be unscrewed and replaced with a white or gold version (accessory). This allows for creative individual designs. The black provides less dazzle, the gold gives a warmer light, and the white reflects the most.

Zip Tube Mini 3-Circuit



Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>320620 Zip Tube Mini 3-Circuit Black 880lm 2700K Ra 98 Trailing edge 14W LED 63 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium</p>	Class I IP20	Trailing edge	Surface, Indoor ShopLine track (adapter included)	Ø59 x H160
 <p>320878 Zip Tube Mini 3-Circuit Brass 880lm 2700K Ra 98 Trailing edge 14W LED 63 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium</p>	Class I IP20	Trailing edge	Surface, Indoor ShopLine track (adapter included)	Ø59 x H160
 <p>320616 Zip Tube Mini 3-Circuit White 880lm 2700K Ra 98 Trailing edge 14W LED 63 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium</p>	Class I IP20	Trailing edge	Surface, Indoor ShopLine track (adapter included)	Ø59 x H160
 <p>320621 Zip Tube Mini 3-Circuit Black 900lm 3000K Ra 98 Trailing edge 14W LED 64 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium</p>	Class I IP20	Trailing edge	Surface, Indoor ShopLine track (adapter included)	Ø59 x H160
 <p>320879 Zip Tube Mini 3-Circuit Brass 900lm 3000K Ra 98 Trailing edge 14W LED 64 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium</p>	Class I IP20	Trailing edge	Surface, Indoor ShopLine track (adapter included)	Ø59 x H160
 <p>320617 Zip Tube Mini 3-Circuit White 900lm 3000K Ra 98 Trailing edge 14W LED 64 lm/W SDCM:2 L90/B10>100,000 Beam: 40°, Direct, Reflector medium</p>	Class I IP20	Trailing edge	Surface, Indoor ShopLine track (adapter included)	Ø59 x H160

Accessories

Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	314423 Shopline Black Monopoint	Class I IP20		Surface, Indoor	Ø100 x H36
	320684 Tube Mini Black Ø59 Bezel				Ø55 x L55 x W7 x H18
	320685 Tube Mini Gold Ø59 Bezel				Ø55 x L55 x W7 x H18
	320757 Tube Mini Opal 20mm Decoration ring				Ø59 x H38
	320758 Tube Mini Opal 55mm Decoration ring				Ø59 x H73
	312423 Shopline White Monopoint	Class I IP20		Surface, Indoor	Ø100 x H36
	320683 Tube Mini White Ø59 Bezel				Ø55 x L55 x W7 x H18