

Frame Mini



Design: Holscher Design. Frame has a modern, stylish design that is great whether it is used indoors or outdoors. It can be mounted on ceilings and walls. Frame is available in round, square and rectangular shapes in different sizes. Made of die-cast, powder-coated aluminium in black, white or graphite. Flat diffuser made of UV-stabilised opal polycarbonate. Easy to install, two inputs/outputs for cables, with the option for either hidden or visible cabling. IP66 and IK10.

Frame Mini



Product- and environment images



Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	605451 Frame Mini Black 550lm 3000K Ra>80 Trailing edge 6.5W LED 85 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opal	Class II IP66 IK10	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L240 x W150 x H77
	605461 Frame Mini Graphite 550lm 3000K Ra>80 Trailing edge 6.5W LED 85 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opal	Class II IP66 IK10	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L240 x W150 x H77
	605441 Frame Mini White 550lm 3000K Ra>80 Trailing edge 6.5W LED 85 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opal	Class II IP66 IK10	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L240 x W150 x H77
	605481 Frame Mini Black 570lm 4000K Ra>80 Trailing edge 6.5W LED 88 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opal	Class II IP66 IK10	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L240 x W150 x H77
	605491 Frame Mini Graphite 570lm 4000K Ra>80 Trailing edge 6.5W LED 88 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opal	Class II IP66 IK10	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L240 x W150 x H77
	605471 Frame Mini White 570lm 4000K Ra>80 Trailing edge 6.5W LED 88 lm/W SDCM:3 L70/B20>100,000, L80/B20>75.000 Beam: 110°, Direct, Opal	Class II IP66 IK10	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L240 x W150 x H77