





Ultra modern, slim luminaires with powder-coated outer surface. The cubist black reflectors provide extremely good glare control in direct light. Additionally, it features indirect light which means it is perfectly suited for offices and above desks. If you want to position several luminaires in a row, they can easily be connected together with the supplied coupling piece. Plug and play solution for quick installation.

Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 212876 Inspire Black 3470lm 2700K Ra>90 Trailing edge 32W LED 108 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	Trailing edge	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm ² 2,5m	L1241 x W38 x H67
 212087 Inspire Black 4140lm 3000K Ra>80 DALI-2 / Push Dim 34W LED 122 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	DALI-2 / Push Dim	Suspended, Indoor 2x2m wire kit Cable 5x0,75mm ² 2,5m	L1241 x W38 x H67
 212472 Inspire Black Dim 1X pull switch 4140lm 3000K Ra>80 Dim 1x pull switch 34W LED 122 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	Dim 1x pull switch	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm ² 2,5m	L1243 x W38 x H67
 212086 Inspire Black 4140lm 3000K Ra>80 On/Off 34W LED 122 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	On/Off	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm ² 2,5m	L1241 x W38 x H67
 212081 Inspire White 4140lm 3000K Ra>80 DALI-2 / Push Dim 34W LED 122 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	DALI-2 / Push Dim	Suspended, Indoor 2x2m wire kit Cable 5x0,75mm ² 2,5m	L1241 x W38 x H67

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 212474 Inspire White Dim 1X pull switch 4140lm 3000K Ra>80 Dim 1x pull switch 34W LED 122 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	Dim 1x pull switch	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm² 2,5m	L1243 x W38 x H67
 212080 Inspire White 4140lm 3000K Ra>80 On/Off 34W LED 122 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	On/Off	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm² 2,5m	L1241 x W38 x H67
 212089 Inspire Black 4300lm 4000K Ra>80 DALI-2 / Push Dim 34W LED 126 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	DALI-2 / Push Dim	Suspended, Indoor 2x2m wire kit Cable 5x0,75mm² 2,5m	L1241 x W38 x H67
 212473 Inspire Black Dim 1X pull switch 4300lm 4000K Ra>80 Dim 1x pull switch 34W LED 126 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	Dim 1x pull switch	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm² 2,5m	L1243 x W38 x H67
 212088 Inspire Black 4300lm 4000K Ra>80 Trailing edge 34W LED 126 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	Trailing edge	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm² 2,5m	L1241 x W38 x H67

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 212083 Inspire White 4300lm 4000K Ra>80 DALI-2 / Push Dim 34W LED 126 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	DALI-2 / Push Dim	Suspended, Indoor 2x2m wire kit Cable 5x0,75mm² 2,5m	L1241 x W38 x H67
 212475 Inspire White Dim 1X pull switch 4300lm 4000K Ra>80 Dim 1x pull switch 34W LED 126 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	Dim 1x pull switch	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm² 2,5m	L1243 x W38 x H67
 212082 Inspire White 4300lm 4000K Ra>80 On/Off 34W LED 126 lm/W SDCM:3 L80/B20>100,000, L90>50,000 Direct/Indirect 50/50%, Cubic Optic Black	Class I IP20	On/Off	Suspended, Indoor 2x2m wire kit Cable 3x0,75mm² 2,5m	L1241 x W38 x H67
Accessories				
 212198 Black T-carrier ceiling bracket				L30 x W20 x H5
 212470 Inspire Black Corner piece flex				L78 x W38 x H67
 212255 T-profil White Suspension Rail 600mm				L596 x W35 x H17
 212471 Inspire White Corner piece flex				L78 x W38 x H67
 8249042724 • Ceiling box 2x2m Wire kit				L180 x W120 x H10

• = This article is produced by order, with an expected delivery time of 3-4 weeks.