




Tovdal is a powerful and stylish 'high bay' luminaire. It is very suitable for warehouses and industrial businesses and the multiple lumen packages make it also usable for other kinds of application. Tovdal is easily installed by a ceiling/wall bracket (available as accessory) or a chain (not included). Connection by an IP68 quick connector. The effective optics ensures an optimal symmetric 90-degree light distribution.

Tovdal



**Product- and environment images**












Tovdal



# Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>607007  <b>Tovdal Graphite 26650lm 4000K</b>  <b>Ra&gt;80 DALI-2</b>  <b>197W LED</b>                      135 lm/W SDCM:3                      L80/B10&gt;100,000, L92&gt;50,000                      Beam: 86°, Direct, Lens</p>	<b>Class I</b>  <b>IP65</b>  <b>IK10</b>	DALI-2	Suspended, Indoor Cable 5x1mm <sup>2</sup> 0,3m + 1,5m, H07RN-F Quick connector	Ø350 x H132
 <p>607002  <b>Tovdal Graphite 14090lm 4000K</b>  <b>Ra&gt;80 On/Off</b>  <b>92W LED</b>                      153 lm/W SDCM:3                      L80/B10&gt;100,000, L94&gt;50,000                      Beam: 86°, Direct, Lens</p>	<b>Class I</b>  <b>IP65</b>  <b>IK10</b>	On/Off	Suspended, Indoor Cable 3x1mm <sup>2</sup> 0,3m + 1,5m, H07RN-F Quick connector	Ø350 x H132
 <p>607003  <b>Tovdal Graphite 26650lm 4000K</b>  <b>Ra&gt;80 On/Off</b>  <b>197W LED</b>                      135 lm/W SDCM:3                      L80/B10&gt;100,000, L92&gt;50,000                      Beam: 86°, Direct, Lens</p>	<b>Class I</b>  <b>IP65</b>  <b>IK10</b>	On/Off	Suspended, Indoor Cable 3x1mm <sup>2</sup> 0,3m + 1,5m, H07RN-F Quick connector	Ø350 x H132
<b>Accessories</b>				
 <p>641927  <b>Tovdal Black Cable DALI-2</b></p>				Ø9 x L10000
 <p>641910  <b>Tovdal Black Cable</b></p>				Ø9 x L10000 x H9
 <p>607004  <b>Tovdal Graphite Ceiling/wall bracket</b></p>				L210 x W160 x H50
 <p>607006  <b>Tovdal Graphite 2X Ceiling/wall bracket</b></p>				L470 x W160 x H130
 <p>607005  <b>Tovdal prism Reflector</b></p>				L410 x W410 x H165
 <p>820259  <b>Start current limiter DIN 16A</b></p>				L90 x W18 x H58

# Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 8249044900 <b>Wirekit 2x5m</b>				L19 x W25 x H150