

Fagernes



Fagernes is a modern classic luminaire for both outdoor and indoor use. The light source is recessed and provides a glare free indirect light. It is easy to install with wall bracket, quick connectors, and loop in/out for both hidden or surface mounted cabling. Fagernes is Phase cut dimmable. Fagernes is available in two different sizes.

Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 630060 Fagernes Black Mini 270lm 2700K Ra>80 Trailing edge 9W LED 30 lm/W SDCM:3 L70/B50>100,000, L90/B10>50,000 Beam: 110°, Direct, Glass Clear	Class II IP44 IK07	Trailing edge	Wall, Indoor / Outdoor Screwless terminal block	W160 x H224 x D100
 630061 Fagernes Black 280lm 2700K Ra>80 Trailing edge 9W LED 31 lm/W SDCM:3 L70/B50>100,000, L90/B10>50,000 Beam: 110°, Direct, Glass Clear	Class II IP44 IK07	Trailing edge	Wall, Indoor / Outdoor Screwless terminal block	W200 x H280 x D125
 630101 Fagernes Black 750lm 3000K Ra>80 Trailing edge 12W LED 63 lm/W SDCM:3 L70/B50>100,000 Beam: 110°, Direct, Glass Clear	Class II IP44 IK07	Trailing edge	Wall, Outdoor Screwless terminal block	W200 x H280 x D125