# StripLine

StripLine is a flexible LED strip system for architectural lighting effects in ceilings, walls, niches and cabinets, for both indoor and outdoor use. It provides a premium light quality with high efficiency and great colour rendering. The LED strip is rated to IP54, has tape on the back for mounting and comes with connection cables already assembled. Lifetime 100.000h (9W/m). The LED stripe must be fitted in one of the available StripLine aluminium profiles for surface-mounted, corner, recessed or frameless installations. It can also be used independently in indoor settings. The profiles are supplied with a solid polycarbonate front diffuser that can be easily attached and removed. The front diffuser is also supplied as a roll, providing the option of very long, continuous fronts. (The diffuser on roll and the Round Diffuser are not compatible with the Slim and Soft profiles) Different driver kits are available, dimmable with phase-cut or push dim. Driver kits come complete with screwless terminal block for looping. The drivers are rated to IP20. To control the light, use a remote control and/or pulse switch. The LEDs are positioned at very brief intervals and deliver an even light. StripLine can be cut per 3. 8 cm (9w/m), 3. 3 cm (15w/m) and 7. 1 cm (RGBW) to customise each individual installation. When cutting, silicone should be applied to maintain water protection.

StripLine

Product- and environment images

Article codes

Article		Protection	Control gear	Mounting/Connection	Dimensions
	391401 **StripLine 1,8m 827lm/m 2700K** **Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2m + 0,15 m	L1800 x W12 x H3.2
	391403 **StripLine 3,6m 827lm/m 2700K** **Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L3600 x W12 x H3.2
	391405 **StripLine 5m 827lm/m 2700K Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L5000 x W12 x H3.2
	391407 **StripLine 10m 827lm/m 2700K** **Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L10000 x W12 x H3.2
	391411 **StripLine 1,8m 1368lm/m 2700K** **Ra>90** **LED** SDCM:2 L90/B50>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2m + 0,15 m	L1800 x W12 x H3.2
	391413 **StripLine 3,6m 1368lm/m 2700K** **Ra>90** **LED** SDCM:2 L90/B50>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L3600 x W12 x H3.2

Article codes

sg

Article		Protection	Control gear	Mounting/Connection	Dimensions
	391415 **StripLine 5m 1368lm/m 2700K** **Ra>90** **LED** SDCM:2 L80/B10>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L5000 x W12 x H3.2
	391417 **StripLine 10m 1368lm/m 2700K** **Ra>90** **LED** SDCM:2 L80/B10>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L10000 x W12 x H3.2
	391402 **StripLine 1,8m 914lm/m 3000K** **Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2m + 0,15 m	L1800 x W12 x H3.2
	391404 **StripLine 3,6m 914lm/m 3000K** **Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L3600 x W12 x H3.2
	391406 **StripLine 5m 914lm/m 3000K Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L5000 x W12 x H3.2
	391408 **StripLine 10m 914lm/m 3000K** **Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L10000 x W12 x H3.2

Article codes

sg

Article		Protection	Control gear	Mounting/Connection	Dimensions
	391412 **StripLine 1,8m 1512lm/m 3000K** **Ra>90** **LED** SDCM:2 L90/B50>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2m + 0,15 m	L1800 x W12 x H3.2
	391414 **StripLine 3,6m 1512lm/m 3000K** **Ra>90** **LED** SDCM:2 L90/B50>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L3600 x W12 x H3.2
	391416 **StripLine 5m 1512lm/m 3000K** **Ra>90** **LED** SDCM:2 L80/B10>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L5000 x W12 x H3.2
	391418 **StripLine 10m 1512lm/m 3000K** **Ra>90** **LED** SDCM:2 L80/B10>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L10000 x W12 x H3.2
	391409 **StripLine 5m 1000lm/m 4000K** **Ra>90** **LED** SDCM:2 L80/B50>100,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L5000 x W12 x H3.2
	391419 **StripLine 10m 1656lm/m 4000K** **Ra>90** **LED** SDCM:2 L80/B10>50,000 Beam: 120°, Direct,	**Class III** **IP54**		Surface, Indoor / Outdoor Cable 2x5m	L10000 x W12 x H3.2

Drivers

Article codes

Article		Protection	Control gear	Mounting/Connection	Dimensions
	820444 **IP65 Junction box Black Incl driver 90W Trailing edge**				L346 x W127 x H53
	820576 **SG White Driver 24V 150W DALI-2 / Push Dim** **150W** 50,000	**Class II** **IP20**	DALI-2 / Push Dim	Indoor	L240 x W59 x H40
	820440 **SG White Driver 24V 36W Trailing edge**				L200 x W85 x H35
	820441 **SG White Driver 24V 75W Trailing edge**				L200 x W85 x H35
	820442 **SG White Driver 24V 150W Trailing edge**				L310 x W85 x H35
Accessories					
	391427 **StripLine 10m Black Diffuser**				L10000 x W19 x H4
	391431 **StripLine 1,8m Black profile recessed**				L1800 x W33 x H13
	391435 **StripLine 1,8m Black profile surface**				L1800 x W22 x H16
	391437 **StripLine 1,8m Black profile corner**				L1800 x W42 x H16
	391446 **StripLine Black end cover recessed kit**				L13 x W33 x H12
	391449 **StripLine Black end cover surface kit**				L16 x W22 x H12

Article codes

SG

Article		Protection	Control gear	Mounting/Connection	Dimensions
	391451 **StripLine Black End cover corner kit**				L16 x W42 x H12
	391461 **StripLine Black profile surface corner**				L200 x W22 x H16
	391463 **StripLine Black Recessed end cover round kit**				L24 x W21 x H12
	391466 **StripLine Black surface end cover round kit**				L27 x W21 x H12
	391474 **StripLine Black End cover kit slim**				L18 x W10 x H12
	391476 **StripLine 1,8m Black profile surface slim**				L1800 x W17.3 x H9.5
	391478 **StripLine 1,8m Black profile surface soft**				L1800 x W19 x H22
	391501 **StripLine 1,8m Black profile surface double**				L1800 x W34 x H22
	391503 **StripLine Black Double end cover surface kit**				L12 x W34 x H22
	391505 **StripLine Black profile surface corner soft**				L200 x W200 x H22
	391426 **StripLine 1,8m Opal Double Diffuser**				L1800 x W33 x H6
	820483 **LEDDim Smart Color Controller White SG Smart/ Remote Control RF * / Push Dim**				L175 x W45 x H27
	391430 **StripLine 1,8m White profile recessed**				L1800 x W33 x H13

Article codes

Article		Protection	Control gear	Mounting/Connection	Dimensions
	391432 **StripLine 1,8m White plaster in**				L1800 x W72 x H14
	391434 **StripLine 1,8m White profile surface**				L1800 x W22 x H16
	391436 **StripLine 1,8m White profile corner**				L1800 x W42 x H16
	391445 **StripLine White end cover recessed kit**				L13 x W33 x H12
	391447 **StripLine White end cover plaster in kit**				L14 x W74 x H12
	391448 **StripLine White end cover surface kit**				L16 x W22 x H12
	391450 **StripLine White End cover corner kit**				L16 x W42 x H12
	391458 **StripLine White Assembly tool**				L100 x W29 x H22
	391460 **StripLine White profile surface corner**				L200 x W22 x H16
	391462 **StripLine White Recessed end cover round kit**				L24 x W21 x H12
	391464 **StripLine White plaster in end cover round kit**				L25 x W21 x H12
	391465 **StripLine White surface end cover round kit**				L27 x W21 x H12
	391473 **StripLine White End cover kit slim**				L18 x W10 x H12

Article codes

Article		Protection	Control gear	Mounting/Connection	Dimensions
	391475 **StripLine 1,8m White profile surface slim**				L1800 x W17.3 x H9.5
	391477 **StripLine 1,8m White profile surface soft**				L1800 x W19 x H22
	391500 **StripLine 1,8m White profile surface double**				L1800 x W34 x H22
	391502 **StripLine White Double end cover surface kit**				L12 x W34 x H22
	391504 **StripLine White profile surface corner soft**				L200 x W200 x H22
	391506 **StripLine White profile plaster in corner**				L226 x W226 x H14
	3019 **Zip 230V/Stripline Miter box**				L60 x W50 x H50
	391428 **StripLine 10m Diffuser**				L10000 x W19 x H4
	391438 **StripLine Cutting kit 2 x end capsule**				L95 x W70 x H15
	391453 **StripLine 1,8m Round Diffuser**				L1800 x W23 x H15
	391459 **StripLine 1,8m Diffuser**				L1800 x W20 x H4
	391469 **StripLine 1,8m Diffuser**				L1800 x W14 x H9