

# Junction box IP65

sg



Surface-mounted junction box IP65. Twelve integrated membranes around the box and two in the bottom. Supplied without connection terminals. Flexible connection SG's new junction boxes have several connection options, both for cable and flexible conduit. Selected models also have an integrated Linect connection that enables the use of quick-connect systems from Wago, Ensto and Wieland. All connections can be made without tools. The box is available in both 3-pole and 5-pole versions. Reduced installation time All junction boxes are designed to reduce installation time to a minimum, regardless of the mounting method. The models with Linect offer a fully flexible solution, something that previously had to be customised and purchased, resulting in long delivery times. The risk of incorrect connection is also minimised when using a quick-connect system.

# Junction box IP65



## Product- and environment images



# Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	78711 <b>IP65 Junction box Black 100x100</b>	IP65		Indoor / Outdoor Not included	L100 x W100 x H40
	78721 <b>IP65 Junction box Black 85X85</b>	IP65		Indoor / Outdoor Not included	L85 x W85 x H40
	78731 <b>IP65 Junction box Black 350X130</b>	IP65		Indoor / Outdoor	L346 x W127 x H53
	78751 <b>IP65 Junction box Black 43X99</b>	IP65		Indoor / Outdoor	L99 x W43 x H36
	78710 <b>IP65 Junction box White 100x100</b>	IP65		Indoor / Outdoor Not included	L100 x W100 x H40
	78720 <b>IP65 Junction box White 85X85</b>	IP65		Indoor / Outdoor Not included	L85 x W85 x H40
	78750 <b>IP65 Junction box White 43X99</b>	IP65		Indoor / Outdoor	L99 x W43 x H36
Accessories					
	78725 <b>Strain relief clip IP65 Junction box</b>	IP65		Indoor	L76 x W20 x H11