

Nemo II / Siriak



Powerful in-ground luminaires for decorative and functional lighting of facades, gardens, patios, stairs and walls. Approved for 2000 kg load. Nemo II comes in symmetric versions with deep black reflectors for very low glare, and asymmetric versions that directs the light toward a facade or a wall. Nemo Siriak gives a decorative light along patios and facades.

Nemo II / Siriak



Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>630070 Nemo II Mini 170lm 3000K Ra>80 Trailing edge 4W LED 43 lm/W SDCM:3 L80/B20>50,000 Beam: 32°, Direct, Lens</p>	Class I IP67 IK10	Trailing edge	Recessed, Indoor / Outdoor Cable 1m	Ø110 x H100
 <p>630071 Nemo II Mini Asymmetric 160lm 3000K Ra>80 Trailing edge 4W LED 40 lm/W SDCM:3 L80/B20>50,000 Asymmetric, Lens</p>	Class I IP67 IK10	Trailing edge	Recessed, Indoor / Outdoor Cable 1m	Ø110 x H100
 <p>630072 Nemo II Midi 460lm 3000K Ra>80 Trailing edge 9W LED 51 lm/W SDCM:3 L80/B20>50,000 Beam: 32°, Direct, Lens</p>	Class I IP67 IK10	Trailing edge	Recessed, Indoor / Outdoor Cable 1m	Ø130 x H110
 <p>630073 Nemo II Midi Asymmetric 430lm 3000K Ra>80 Trailing edge 9W LED 48 lm/W SDCM:3 L80/B20>50,000 Asymmetric, Lens</p>	Class I IP67 IK10	Trailing edge	Recessed, Indoor / Outdoor Cable 1m	Ø130 x H110
 <p>630075 Nemo Siriak 24lm 3000K Ra>80 Trailing edge 4W LED 6 lm/W SDCM:3 L80/B20>50,000 Direct, Lens</p>	Class I IP67 IK10	Trailing edge	Recessed, Indoor / Outdoor Cable 1m	Ø110 x H100
 <p>630120 Nemo II Maxi 800lm 3000K Ra>80 Trailing edge 14W LED 57 lm/W SDCM:3 L80/B20>50,000 Beam: 40°, Direct, Lens</p>	Class I IP67 IK10	Trailing edge	Recessed, Indoor / Outdoor Cable 1m	Ø150 x H115

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <i>Not Released yet</i> 630121 Nemo II Maxi Asymmetric 950lm 3000K Ra>80 Trailing edge 14W LED 68 lm/W SDCM:3 L80/B20>50,000 Asymmetric, Lens	Class I IP67 IK10	Trailing edge	Recessed, Indoor / Outdoor Cable 1m	Ø150 x H115
Accessories				
 78740 Gelbox-I Black Connector				L135 x W48 x H30
 78741 Gelbox-Y Black Connector				L148 x W86 x H30