

Tube Eco DALI



LED spot for DALI three-phase rail system. Fitted with global adapter and compatible with all systems that work with this. Powerful LED chip and integrated driver gives this spot a minimalistic and exclusive look. A long service life, fantastic colour rendering and large lumen package make Tube Eco DALI the ideal choice for shops and exhibitions. Tube Eco DALI comes with a honeycomb filter that can be attached in front of the reflector for extremely low glare.


Tube Eco DALI



Product- and environment images



Tube Eco DALI



For line drawing dimensions please see each single article codes on next page

Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	312452 Tube Eco 3-Circuit Black 2280lm 3000K Ra>90 DALI-2 26W LED 88 lm/W SDCM:3 L90/B10>100,000 Beam: 32°, Direct, Reflector	Class I IP20	DALI-2	Surface, Indoor ShopLine DALI track (adapter included)	Ø92 x H220
	312450 Tube Eco 3-Circuit White 2280lm 3000K Ra>90 DALI-2 26W LED 88 lm/W SDCM:3 L90/B10>100,000 Beam: 32°, Direct, Reflector	Class I IP20	DALI-2	Surface, Indoor ShopLine DALI track (adapter included)	Ø92 x H220
	312453 Tube Eco 3-Circuit Black 2410lm 4000K Ra>90 DALI-2 26W LED 93 lm/W SDCM:3 L90/B10>100,000 Beam: 32°, Direct, Reflector	Class I IP20	DALI-2	Surface, Indoor ShopLine DALI track (adapter included)	Ø92 x H220
	312451 Tube Eco 3-Circuit White 2410lm 4000K Ra>90 DALI-2 26W LED 93 lm/W SDCM:3 L90/B10>100,000 Beam: 32°, Direct, Reflector	Class I IP20	DALI-2	Surface, Indoor ShopLine DALI track (adapter included)	Ø92 x H220
Accessories					
	312531 Shopline DALI Black Monopoint	Class I IP20		Surface, Indoor	Ø143 x H35
	312530 Shopline DALI White Monopoint	Class I IP20		Surface, Indoor	Ø143 x H35
	300470 Tube(Eco)/Aneto 17° Reflector				L75 x W75 x H55
	300471 Tube(Eco)/Aneto 32° Reflector				L75 x W75 x H55

Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 300472 Tube(Eco)/Aneto 50° Reflector				L75 x W75 x H55