

Prelude Square TW



Prelude Square TW is a mirror luminaire with a sharp design. The luminaire provides a very homogen light generated by a specific LED lens technology, which makes it the obvious choice next to a mirror. Therefore, it's the ideal choice for bathrooms and similar environments. Prelude Square TW is available with or without an outlet behind a lift-up lid. Tunable White 2000-4000K LEDDim

Prelude Square TW




Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>111395 Prelude Square Black 1370lm 2000-4000K Ra>80 TW LEDDim 12W LED 114 lm/W SDCM:3 L80/B50>100,000 Direct, Acrylic diffuser</p>	Class II IP44 (mounted horizontally) / IP40 (mounted vertically) IK05	TW LEDDim	Surface, Indoor Screwless terminal block	W519 x H59 x D62
 <p>111396 Prelude Square Black w/ outlet 1370lm 2000-4000K Ra>80 TW LEDDim 12W LED 114 lm/W SDCM:3 L80/B50>100,000 Direct, Acrylic diffuser</p>	Class I IP44 (mounted horizontally) / IP40 (mounted vertically) IK05	TW LEDDim	Surface, Indoor Screwless terminal block	W590 x H59 x D62
 <p>111393 Prelude Square White 1400lm 2000-4000K Ra>80 TW LEDDim 12W LED 117 lm/W SDCM:3 L80/B50>100,000 Direct, Acrylic diffuser</p>	Class II IP44 (mounted horizontally) / IP40 (mounted vertically) IK05	TW LEDDim	Surface, Indoor Screwless terminal block	W519 x H59 x D62
 <p>111394 Prelude Square White w/ outlet 1400lm 2000-4000K Ra>80 TW LEDDim 12W LED 117 lm/W SDCM:3 L80/B50>100,000 Direct, Acrylic diffuser</p>	Class I IP44 (mounted horizontally) / IP40 (mounted vertically) IK05	TW LEDDim	Surface, Indoor Screwless terminal block	W590 x H59 x D62
Accessories				
 <p>111389 Prelude Square Black Cover</p>				W522 x H62 x D56
 <p>111385 Prelude Square White Cover</p>				W522 x H62 x D56