

Tube Pro DALI



Tube Pro is a very powerful spot for the ShopLine track system, especially suited for high ceilings, car shops and other places in need of brilliant bright light. Long lifetime even up to ambient temperatures of 35°C. The recessed light source ensures minimal glare. It also comes with a honeycomb filter that can be attached in front of the reflector for extremely low glare and a «blacklight- effect». Tube Pro has a minimalistic and exclusive look. The spot is fitted with a multiadapter, which in addition to ShopLine also can be used in other track systems that fit Global. Tube Pro comes with a 32° reflector as default, and reflectors of 17° and 50° are available as accessories.

Tube Pro DALI










Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>320856 Tube Pro 3-Circuit Black 3620lm 3000K Ra>90 DALI-2 41W LED 88 lm/W SDCM:2 L90/B10>100,000 Beam: 32°, Direct, Reflector</p>	Class II IP20	DALI-2	Surface, Indoor ShopLine DALI track (adapter included)	L278 x W260 x H92
 <p>320854 Tube Pro 3-Circuit White 3620lm 3000K Ra>90 DALI-2 41W LED 88 lm/W SDCM:2 L90/B10>100,000 Beam: 32°, Direct, Reflector</p>	Class II IP20	DALI-2	Surface, Indoor ShopLine DALI track (adapter included)	L278 x W260 x H92
 <p>320857 Tube Pro 3-Circuit Black 3830lm 4000K Ra>90 DALI-2 41W LED 93 lm/W SDCM:2 L90/B10>100,000 Beam: 32°, Direct, Reflector</p>	Class II IP20	DALI-2	Surface, Indoor ShopLine DALI track (adapter included)	L278 x W260 x H92
 <p>320855 Tube Pro 3-Circuit White 3830lm 4000K Ra>90 DALI-2 41W LED 93 lm/W SDCM:2 L90/B10>100,000 Beam: 32°, Direct, Reflector</p>	Class II IP20	DALI-2	Surface, Indoor ShopLine DALI track (adapter included)	L278 x W260 x H92
Accessories				
 <p>300470 Tube(Eco)/Aneto 17° Reflector</p>				L75 x W75 x H55
 <p>300471 Tube(Eco)/Aneto 32° Reflector</p>				L75 x W75 x H55
 <p>300472 Tube(Eco)/Aneto 50° Reflector</p>				L75 x W75 x H55