

# Tube Pro DALI



Tube Pro DALI is a very powerful spot for the ShopLine DALI track system, especially suited for high ceilings, car shops and other places in need of brilliant bright light. Long lifetime even up to ambient temperatures of 35°C. The recessed light source ensures minimal glare. It also comes with a honeycomb filter that can be attached in front of the reflector for extremely low glare and a «blacklight-effect». Tube Pro DALI has a minimalistic and exclusive look. The spot is fitted with a multiadapter, which in addition to ShopLine also can be used in other track systems that fit Global. Tube Pro DALI comes with a 32° reflector as default, and reflectors of 17° and 50° are available as accessories.

# Tube Pro DALI










## Product- and environment images



# Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	320856	<b>Class II</b>	DALI-2	Surface, Indoor	L278 x W260 x H92
	<b>Tube Pro 3-Circuit Black 3620lm</b> <b>3000K Ra&gt;90 DALI-2</b> <b>41W LED</b> 88 lm/W SDCM:2 L90/B10>100,000 Beam: 32°, Direct, Reflector	<b>IP20</b>		ShopLine DALI track (adapter included)	
	320854	<b>Class II</b>	DALI-2	Surface, Indoor	L278 x W260 x H92
	<b>Tube Pro 3-Circuit White 3620lm</b> <b>3000K Ra&gt;90 DALI-2</b> <b>41W LED</b> 88 lm/W SDCM:2 L90/B10>100,000 Beam: 32°, Direct, Reflector	<b>IP20</b>		ShopLine DALI track (adapter included)	
	320857	<b>Class II</b>	DALI-2	Surface, Indoor	L278 x W260 x H92
	<b>Tube Pro 3-Circuit Black 3830lm</b> <b>4000K Ra&gt;90 DALI-2</b> <b>41W LED</b> 93 lm/W SDCM:2 L90/B10>100,000 Beam: 32°, Direct, Reflector	<b>IP20</b>		ShopLine DALI track (adapter included)	
	320855	<b>Class II</b>	DALI-2	Surface, Indoor	L278 x W260 x H92
	<b>Tube Pro 3-Circuit White 3830lm</b> <b>4000K Ra&gt;90 DALI-2</b> <b>41W LED</b> 93 lm/W SDCM:2 L90/B10>100,000 Beam: 32°, Direct, Reflector	<b>IP20</b>		ShopLine DALI track (adapter included)	
<b>Accessories</b>					
	300470				L75 x W75 x H55
	<b>Tube(Eco)/Aneto 17° Reflector</b>				
	300471				L75 x W75 x H55
	<b>Tube(Eco)/Aneto 32° Reflector</b>				
	300472				L75 x W75 x H55
	<b>Tube(Eco)/Aneto 50° Reflector</b>				