

Rax Soft 200 Square



Rax Soft 200 in a square version for lighting in offices, corridors, etc. It has high performance and excellent light control in a combination of a lens and a satin matte reflector. Rax Soft 200 is easy to install with springs that fit ceiling panels with a thickness of 1-50 mm.

Rax Soft 200 Square



Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 212582 Rax Soft Square 200 Satin 2370lm 3000K Ra>80 DALI-2 / Push Dim 19W LED 125 lm/W SDCM:2 L90/B10>100,000 Beam: 62°, Direct, Satin Matt Reflector	Class II SELV IP54/IP20 IK08	DALI-2 / Push Dim	Recessed, Indoor Cable 5x0,75mm ² 5 pol Linect / screwless terminal block	L216 x W216 x H93
 212580 Rax Soft Square 200 Satin 2200 2370lm 3000K Ra>80 Trailing edge 19W LED 125 lm/W SDCM:2 L90/B10>100,000 Beam: 62°, Direct, Satin Matt Reflector	Class II SELV IP54/IP20 IK08	Trailing edge	Recessed, Indoor Cable 5x0,75mm ² 3 pol Linect / screwless terminal block	L216 x W216 x H93
 212583 Rax Soft Square 200 Satin 2200 2490lm 4000K Ra>80 DALI-2 / Push Dim 19W LED 131 lm/W SDCM:2 L90/B10>100,000 Beam: 62°, Direct, Satin Matt Reflector	Class II SELV IP54/IP20 IK08	DALI-2 / Push Dim	Recessed, Indoor Cable 5x0,75mm ² 5 pol Linect / screwless terminal block	L216 x W216 x H93
 212581 Rax Soft Square 200 Satin 2490lm 4000K Ra>80 Trailing edge 19W LED 131 lm/W SDCM:2 L90/B10>100,000 Beam: 62°, Direct, Satin Matt Reflector	Class II SELV IP54/IP20 IK08	Trailing edge	Recessed, Indoor Cable 5x0,75mm ² 3 pol Linect / screwless terminal block	L216 x W216 x H93
Accessories				
 820489 Sensor Dim Box White 200VA				L220 x W75 x H34