

Sense Pro X



Sense Pro X is a highly energy-efficient LED panel with up to 180lm/W. Lens technology combined with an opalprism diffuser provides superbly even lighting and low glare (UGR

Sense Pro X



Product- and environment images



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>212660 Sense Pro X 600x600 White Incl driver 3980lm 3000K Ra>80 DALI-2 23W LED 173 lm/W SDCM:3 L90/B10>100,000, L96>50,000 Direct, Opalprism</p>	Class II SELV IP40/IP20 IK06	DALI-2	Recessed, Indoor 5 pol Linect / screwless terminal block	L597 x W597 x H29
 <p>212661 Sense Pro X 600x600 White Incl driver 4120lm 4000K Ra>80 DALI-2 23W LED 179 lm/W SDCM:3 L90/B10>100,000, L96>50,000 Direct, Opalprism</p>	Class II SELV IP40/IP20 IK06	DALI-2	Recessed, Indoor 5 pol Linect / screwless terminal block	L597 x W597 x H29
Accessories				
 <p>212936 Sense 600x600 Black Plaster board/Troldtekt Recessed frame</p>				L640 x W640 x H50
 <p>8246094429 Emergencybox Driver DALI / EM Self test, DALI Emergency 3 hours</p>				L270 x W75 x H35
 <p>8246094500 Emergencybox Driver DALI / EM DALI/Self test, Emergency 3 hours</p>				L270 x W75 x H35