

Rax Soft Surface 150 IP65




Rax Soft Surface 150 IP65 is a high-performance surface mounted downlight for outdoor use or other areas requiring high IP-resistance. It has excellent light control by a combination of optimized lens and reflector optics.

Rax Soft Surface 150 IP65



Product- and environment images



Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	212760	Class I	On/Off	Surface, Indoor / Outdoor	Ø175 x H196
	Rax Soft Surface IP65 150 Black	IP65		5 pol Screwless terminal block	
	4000 3550lm 3000K Ra>80 On/Off	IK06			
	34W LED				
	104 lm/W SDCM:2 L90/B10>100,000 Beam: 68°, Direct, Satin Matt Reflector				
	212758	Class I	On/Off	Surface, Indoor / Outdoor	Ø175 x H196
	Rax Soft Surface IP65 150 White	IP65		5 pol Screwless terminal block	
	4000 3560lm 3000K Ra>80 On/Off	IK06			
	34W LED				
	105 lm/W SDCM:2 L90/B10>100,000 Beam: 68°, Direct, Satin Matt Reflector				
	212761	Class I	On/Off	Surface, Indoor / Outdoor	Ø175 x H196
	Rax Soft Surface IP65 150 Black	IP65		5 pol Screwless terminal block	
	4000 3680lm 4000K Ra>80 On/Off	IK06			
	34W LED				
	108 lm/W SDCM:2 L90/B10>100,000 Beam: 68°, Direct, Satin Matt Reflector				
	212759	Class I	On/Off	Surface, Indoor / Outdoor	Ø175 x H196
	Rax Soft Surface IP65 150 White	IP65		5 pol Screwless terminal block	
	4000 3690lm 4000K Ra>80 On/Off	IK06			
	34W LED				
	109 lm/W SDCM:2 L90/B10>100,000 Beam: 68°, Direct, Satin Matt Reflector				