



Artes Outlet has two practical sockets, perfect for patio heaters on the veranda, pressure washers in the carport or anywhere else extra sockets are needed. Individual step-by-step adjustment of light angle/light distribution up and down is possible. The up or down light can also be switched off if desired. Manufactured in die-cast, powder-coated aluminium. Dimmable with phase cut dimmer. Easy to install with mounting backplate, as well as quick clamps and two cable entries.

Product- and environment images





For line drawing dimensions please see each single article codes on next page

Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
	641750 Artes Outlet Black w/ 2 x outlet 360lm 2700K Ra>80 Trailing edge 8W LED 45 lm/W SDCM:3 L80/B20>60,000 Lens	Class I IP44	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L220 x W110 x H120
	641752 Artes Outlet Direct Black w/ 2 x outlet 300lm 2700K Ra>80 Trailing edge 4W LED 75 lm/W SDCM:3 L80/B20>60,000 Lens	Class I IP44	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L220 x W110 x H120
	641751 Artes Outlet Black w/ 2 x outlet 380lm 3000K Ra>80 Trailing edge 8W LED 48 lm/W SDCM:3 L80/B20>60,000 Lens	Class I IP44	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L220 x W110 x H120
	641753 Artes Outlet Direct Black w/ 2 x outlet 310lm 3000K Ra>80 Trailing edge 4W LED 78 lm/W SDCM:3 L80/B20>60,000 Lens	Class I IP44	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L220 x W110 x H120