

# Artes Outlet





Artes Outlet has two practical sockets, perfect for patio heaters on the veranda, pressure washers in the carport or anywhere else extra sockets are needed. Individual step-by-step adjustment of light angle/light distribution up and down is possible. Manufactured in die-cast, powder-coated aluminium. Dimmable with phase cut dimmer. Easy to install with mounting backplate, as well as quick clamps and two cable entries.

# Artes Outlet



## Product- and environment images





For line drawing dimensions please see each single article codes on next page

# Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>641750  <b>Artes Outlet Black w/ 2 x outlet</b>  <b>360lm 2700K Ra&gt;80 Trailing edge</b>  <b>8W LED</b>            45 lm/W SDCM:3            L80/B20&gt;60,000            Lens</p>	<b>Class I</b> <b>IP44</b>	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L220 x W110 x H120
 <p>641752  <b>Artes Outlet Direct Black w/ 2 x outlet</b>  <b>300lm 2700K Ra&gt;80 Trailing edge</b>  <b>4W LED</b>            75 lm/W SDCM:3            L80/B20&gt;60,000            Lens</p>	<b>Class I</b> <b>IP44</b>	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L220 x W110 x H120
 <p>641751  <b>Artes Outlet Black w/ 2 x outlet</b>  <b>380lm 3000K Ra&gt;80 Trailing edge</b>  <b>8W LED</b>            48 lm/W SDCM:3            L80/B20&gt;60,000            Lens</p>	<b>Class I</b> <b>IP44</b>	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L220 x W110 x H120
 <p>641753  <b>Artes Outlet Direct Black w/ 2 x outlet</b>  <b>310lm 3000K Ra&gt;80 Trailing edge</b>  <b>4W LED</b>            78 lm/W SDCM:3            L80/B20&gt;60,000            Lens</p>	<b>Class I</b> <b>IP44</b>	Trailing edge	Surface, Indoor / Outdoor Screwless terminal block	L220 x W110 x H120