Zip Jelsa Pendel





Zip Jelsa is an exciting design concept that combines functionality and aesthetics in the Zip track system. The series features both efficient spotlights and decorative pendants, perfect for creating atmospheric lighting in any space. The recessed light source provides soft and pleasant illumination, ideal for both functional and ambient purposes. By rotating the front, you can open a light slit that adds a decorative touch. Zip Jelsa comes with a black front ring as standard, while an elegant gold ring is available as an accessory to further enhance the design. A Zip pendant adapter is included. Can also be used with recessed or surface-mounted ceiling boxes for pendant.

Zip Jelsa Pendel



Product- and environment images



Article codes



Article		Protection	Control gear	Mounting/Connection	Dimensions
Not released yet	320888	Class II	Trailing edge	Surface, Indoor	Ø60 x W83 x H90
	Zip Jelsa Pendant Black 500lm	IP20		Cable 3m	
	2700K Ra>90 Trailing edge			Zip track (adapter included)	
	6.5W LED				
	77 lm/W SDCM:2				
	L80/B20>100,000				
	Beam: 42°, Direct, Lens				
Not released yet	320886	Class II	Trailing edge	Surface, Indoor	Ø60 x W83 x H90
	Zip Jelsa Pendant White 500lm	IP20		Cable 3m	
	2700K Ra>90 Trailing edge			Zip track (adapter included)	
	6.5W LED				
	77 lm/W SDCM:2				
	L80/B20>100,000				
	Beam: 42°, Direct, Lens				
Not released yet	320889	Class II	Trailing edge	Surface, Indoor	Ø60 x W83 x H90
	Zip Jelsa Pendant Black 530lm	IP20		Cable 3m	
	3000K Ra>90 Trailing edge			Zip track (adapter included)	
	6.5W LED				
	82 lm/W SDCM:2				
	L80/B20>100,000				
Not released yet	Beam: 42°, Direct, Lens 320887	Class II	Trailing edge	Surface, Indoor	Ø60 x W83 x H90
	Zip Jelsa Pendant White 530lm	IP20	Truming cage	Cable 3m	\$00 X W03 X 1130
	3000K Ra>90 Trailing edge	11 20		Zip track (adapter included)	
	6.5W LED			zip track (adapter included)	
	82 lm/W SDCM:2				
	L80/B20>100,000				
	Beam: 42°, Direct, Lens				
Accessories					
	320890				Ø57 x H25
	Jelsa Gold Ø58 Bezel				