

Zip Jelsa Pendel



Zip Jelsa is an exciting design concept that combines functionality and aesthetics in the Zip track system. The series features both efficient spotlights and decorative pendants, perfect for creating atmospheric lighting in any space. The recessed light source provides soft and pleasant illumination, ideal for both functional and ambient purposes. By rotating the front, you can open a light slit that adds a decorative touch. Zip Jelsa comes with a black front ring as standard, while an elegant gold ring is available as an accessory to further enhance the design. A Zip pendant adapter is included. Can also be used with recessed or surface-mounted ceiling boxes for pendant.

Zip Jelsa Pendel








Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 <p>320888 Zip Jelsa Pendant Black 500lm 2700K Ra>90 Trailing edge 6.5W LED 77 lm/W SDCM:2 L80/B20>100,000 Beam: 42°, Direct, Lens</p>	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø60 x W83 x H90
 <p>320886 Zip Jelsa Pendant White 500lm 2700K Ra>90 Trailing edge 6.5W LED 77 lm/W SDCM:2 L80/B20>100,000 Beam: 42°, Direct, Lens</p>	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø60 x W83 x H90
 <p>320889 Zip Jelsa Pendant Black 530lm 3000K Ra>90 Trailing edge 6.5W LED 82 lm/W SDCM:2 L80/B20>100,000 Beam: 42°, Direct, Lens</p>	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø60 x W83 x H90
 <p>320887 Zip Jelsa Pendant White 530lm 3000K Ra>90 Trailing edge 6.5W LED 82 lm/W SDCM:2 L80/B20>100,000 Beam: 42°, Direct, Lens</p>	Class II IP20	Trailing edge	Surface, Indoor Cable 3m Zip track (adapter included)	Ø60 x W83 x H90
Accessories				
 <p>320890 Jelsa Gold Ø58 Bezel</p>				Ø57 x H25