

Sense Velios 600x600



Sense Velios is designed for ceilings with visible T-rails. Profiled contrast-reduction panels and high-performance central optics give uniformly diffuse lighting. High Energy efficiency. Exceptional glare control gives high degree of visual comfort. Dip switches available for adjustment of light output.

Sense Velios 600x600



Product- and environment images



Article codes



Article	Protection	Control gear	Mounting/Connection	Dimensions
 212927 Sense Velios 600x600 White 4420lm 3000K Ra>90 DALI-2 31W LED 143 lm/W SDCM:3 L84/B50>100,000, L91>50,000 Direct, Prismatic/Opal Optic	Class II IP20	DALI-2	Recessed, Indoor 5 pol Linect / screwless terminal block	L595 x W595 x H43
 212923 Sense Velios 600x600 White 4570lm 3000K Ra>80 Trailing edge 32W LED 143 lm/W SDCM:3 L84/B50>100,000, L91>50,000 Direct, Prismatic/Opal Optic	Class II IP20	Trailing edge	Recessed, Indoor 3 pol Linect / screwless terminal block	L595 x W595 x H43
 212928 Sense Velios 600x600 White 4500lm 4000K Ra>90 DALI-2 31W LED 145 lm/W SDCM:3 L84/B50>100,000, L91>50,000 Direct, Prismatic/Opal Optic	Class II IP20	DALI-2	Recessed, Indoor 5 pol Linect / screwless terminal block	L595 x W595 x H43
 212924 Sense Velios 600x600 White 4560lm 4000K Ra>80 Trailing edge 30W LED 152 lm/W SDCM:3 L84/B50>100,000, L91>50,000 Direct, Prismatic/Opal Optic	Class II IP20	Trailing edge	Recessed, Indoor 3 pol Linect / screwless terminal block	L595 x W595 x H43