



## CE – Declaration of Conformity

Document: CE-UKCA260403A\_Circulus Pendant  
Product Inspection: PI260402A  
Risk Assessment: RA260401A

We, **SG Armaturen AS**  
**Skytterheia 25**  
**N-4790 Lillesand - Norway**

declare under sole responsibility that the product

**Luminaire**

Type

**Circulus Pendant**

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>  Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i>  Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i>  (Regs 244/2009, 245/2009, 347/2010)*  Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>
--	--	---

*RoHS 2011 / 65 / EU + RoHS III / EU 2015/863 + RoHS 2022/284*

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

<b>EN 60598-1:2021+A11:2022</b>	(Luminaires - General requirements)
<b>EN 60598-2-1:2021</b>	(Luminaires – General purpose)
<b>EN 62722-1:2022</b>	(Luminaire performance - General requirements)
<b>EN 62722-2-1:2023</b>	(Luminaire performance - Particular requirements)
<b>EN 62471:2008</b>	(Luminaires – Photobiological safety of lamps and lamp systems)
<b>EN 62493:2015</b>	(EMF – Lighting equipment related to human exposure)
<b>EN 55015:2019+A11:2020</b>	(EMC - Radio disturbance)
<b>EN 61000-3-2:2019</b>	(EMC - Harmonics)
<b>EN 61000-3-3:2013+A1:2019</b>	(EMC – Voltage change, fluctuation & flicker)
<b>EN 61547:2009</b>	(EMC - Immunity)

CE declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

**Manufacturer**  
Lillesand, 03/04-2026  
Place and date of issue

Martin Etrup  
**Approval Engineer**  
Name of authorized person

Martin Etrup  
Signature of authorized person



# UKCA – Declaration of Conformity

Document: CE-UKCA260403A\_Circulus Pendant  
Product Inspection: PI260402A  
Risk Assessment: RA260401A

We, **SG Armaturen AS**  
**Skytterheia 25**  
**N-4790 Lillesand - Norway**

declare under sole responsibility that the product

**Luminaire**  
\_\_\_\_\_  
Type  
  
**Circulus Pendant**  
\_\_\_\_\_  
Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-1:2021** (Luminaires – General purpose)
- EN 62722-1:2022** (Luminaire performance - General requirements)
- EN 62722-2-1:2023** (Luminaire performance - Particular requirements)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)
- UK SI 2021 No. 1095** (Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

**Manufacturer**  
Lillesand, 03/04-2026  
Place and date of issue

**Martin Ettrup**  
Approval Engineer  
Name of authorized person

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

<b>Product ID Number</b>	<b>Product Description</b>	<b>Article type</b>	<b>Article group</b>
7021982120145	Circulus Pendant White 1345lm	3000K Ra>80 DALI-2 / Push Dim	700400
7021982120053	Circulus Pendant White 1420lm	2700K Ra>80 Trailing edge	700400
7021982120060	Circulus Pendant White 1530lm	3000K Ra>80 Trailing edge	700400
7021982140068	Circulus Pendant Black 1530lm	3000K Ra>80 Trailing edge	700400
7021982140051	Circulus Pendant Black 1420lm	2700K Ra>80 Trailing edge	700400
7021982110085	Circulus Pendant Black 1345lm	3000K Ra>80 DALI-2 / Push Dim	700400
7021982120138	Circulus Pendant White 1360lm	2700K DALI-2 / Push Dim	700400
7021982110078	Circulus Pendant Black 1360lm	2700K DALI-2 / Push Dim	700400