



CE – Declaration of Conformity

Document: CE-UKCA260224B_Nano Tilt
Product Inspection: PI230116A
DEKRA report: 4900288.50, 4900289.50
Risk Assessment: RA230113A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Nano Tilt

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i> Electromagnetic compatibility (EMC)	<i>Directive 2014 / 35 / EU</i> Low Voltage directive (LVD)	<i>Directive 2009 / 125 / EF</i> (Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) <small>* As applicable and including amendments</small>
--	--	---

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-2:2012** (Luminaires - Recessed)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)
- EN 1365-2:2024** (Fire resistance tests for loadbearing elements)
- EN 1363-1:2020** (Time-temperature curve for a period of 60 minutes loadbearing condition)

CE declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 24/02-2026
Place and date of issue

Martin Etrup
Approval Engineer
Name of authorized person

Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA260224B_Nano Tilt
Product Inspection: PI230116A
DEKRA report: 4900288.50, 4900289.50
Risk Assessment: RA230113A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Nano Tilt

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-2:2012** (Luminaires - Recessed)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)
- UK SI 2021 No. 1095** (Luminaires – The Ecodesign for Energy-Related products and Energy Information)
- EN 1365-2:2024** (Fire resistance tests for loadbearing elements)
- EN 1363-1:2020** (Time-temperature curve for a period of 60 minutes loadbearing condition)

UKCA declaration date: 2026

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 24/02-2026
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021989070207	Nano Tilt Black 240lm	3000K Ra>90	703660
7021989070160	Nano Tilt White 240lm	2700K Ra>90	703660
7021989070191	Nano Tilt Black 240lm	2700K Ra>90	703660
7021989070177	Nano Tilt White 240lm	3000K Ra>90	703660
7021989070184	Nano Tilt White 270lm	4000K Ra>90	703660

Drivers

7021988200919	Nano White Driver 17W 350mA Trailing edge dimming / Push Dim
7021988200780	Nano White Driver 4,2W 350mA Trailing edge dimming