







Sector is a new retail light fitting with a modern design. Great for base lighting in retail stores and exhibition spaces. Flexible, fast installation as it can be fitted straight onto a ShopLine 3-point rail. Optimal solution when rebuilding or changing premises as the fittings can be easily moved without any need for a new installation! Fitted with 2 Eutrac multi adapters, Sector can be installed in all rail systems where Global is used.

Sector



Produkt- och miljöbilder



Artikel		Skydd	Styrutrustning	Montering/anslutning	Mått
	8246094513  Sector Svart 5850lm 3000K Ra>80 Nödbelysning 3h/bakkantsdimmer 66W LED 89 lm/W SDCM:3 L80/B20>60.000 Direkt, Lins C, prismetisk konisk	Klass I IP20	Nödbelysning 3h/bakkantsdimmer	Indoor	L1444 x W64 x H102
	7016399 Sector Svart 5850lm 3000K Ra>80 Ej dimbar 66W LED 89 lm/W SDCM:3 L80/B20>50.000 Direkt, Lins C, prismetisk konisk	Klass I IP20	Ej dimbar	Indoor	L1444 x W64 x H102
	7021140  Sector Svart 2510lm 3000K Ra>80 Bakkantsdimmer 26W LED 97 lm/W SDCM:3 Direkt, Lins C, prismetisk konisk	Klass I IP20	Bakkantsdimmer	Indoor	L1164 x W64 x H129
	7016397 Sector Vit 5850lm 3000K Ra>80 Ej dimbar 66W LED 89 lm/W SDCM:3 L80/B20>50.000 Direkt, Lins C, prismetisk konisk	Klass I IP20	Ej dimbar	Indoor	L1444 x W64 x H102
	7021119  Sector Vit 2510lm 3000K Ra>80 Bakkantsdimmer 26W LED 97 lm/W SDCM:3 Direkt, Lins C, prismetisk konisk	Klass I IP20	Bakkantsdimmer	Indoor	L1164 x W64 x H129
	7016400 Sector Svart 6100lm 4000K Ra>80 Ej dimbar 66W LED 92 lm/W SDCM:3 L80/B20>50.000 Direkt, Lins C, prismetisk konisk	Klass I IP20	Ej dimbar	Indoor	L1444 x W64 x H102

Artikel	Skydd	Styrutrustning	Montering/anslutning	Mått
 7016398 Sector Vit 6100lm 4000K Ra>80 Ej dimbar 66W LED 92 lm/W SDCM:3 L80/B20>50.000 Direkt, Lins C, prismetisk konisk	Klass I IP20	Ej dimbar	Indoor	L1444 x W64 x H102
Tillbehör				
 7348847 Nödljusbatteri 3 Hours 3.0Ah - Model No: B093				L137 x W27 x H27

• = Artikeln är normalt ej lagervara, kontakta SG för mer information