

Uniled IsoSafe DimToWarm




Attractive downlight for indoor and outdoor use. Mounted directly in concrete via the special blade spring system. Well integrated LED chip, dimmable via phase-dimming or DALI driver (not IsoSafe). Made of die-cast powder-coated aluminium or brushed steel (only indoors), glass diffuser. 42-degree scattering angle via reflector. 35 mm in total height, Flexible hole dimensions Ø76–Ø83. Tool-free mounting in mounting box for direct 230 V with loopable quick clips and automatic strain relief. IP54, KL II


Uniled IsoSafe DimToWarm



Produkt- och miljöbilder




Uniled IsoSafe DimToWarm



Information om ritningsmått finns vid respektive artikelkod på nästa sida

Artikel	Skydd	Styrutrustning	Montering/anslutning	Mått
 7467871 UniLED IsoSafe DimToWarm Vit 560lm 2000-2800K Ra>95 Bakkantsdimmer 7.3W LED 77 lm/W SDCM:3 L90/B10>50.000 Beam: 42°, Direkt, Reflektor	Klass II SELV IP54/IP20	Bakkantsdimmer	Infälld, Indoor / Outdoor Skruvlös kopplingsplint	Ø94 x H37
Tillbehör				
 7450999 Rehab Ringer Svart 133mm for Junistar, Uniled, Soft & Jupiter				Ø133 x L133 x W133 x H4
 7451933 Rehab Ringer Svart 180mm for Junistar, Uniled, Soft & Jupiter				Ø180 x H45
 7462469 Rehab Ringer Borstat stål 133mm for Junistar, Uniled, Soft & Jupiter				Ø133 x H4
 7463385 Rehab Ringer Grafit 133mm for Junistar, Uniled, Soft & Jupiter				Ø133 x L133 x W133 x H4
 7450670 Rehab Ringer Grafit 180mm for Junistar, Uniled, Soft & Jupiter				Ø180 x H45
 7450899 Rehab Ringer Grafit 250mm for Junistar, Uniled, Soft & Jupiter				Ø250 x H45
 7450668 Rehab Ringer Vit 133mm for Junistar, Uniled, Soft & Jupiter				Ø133 x L133 x W133 x H4
 7450669 Rehab Ringer Vit 180mm for Junistar, Uniled, Soft & Jupiter				Ø180 x H45
 7450898 Rehab Ringer Vit 250mm for Junistar, Uniled, Soft & Jupiter				Ø250 x H45
 7345356 Nödljusbox Adapter kit för downlight				L250 x W13 x H13



Artikel	Skydd	Styrutrustning	Montering/anslutning	Mått
 7344588 Nödljusbox On-Off/Bakkantsdim / EM Självtest, Nödbelysning 3 timmar				L270 x W75 x H35