

# Carmencita DC LED



230V, 50/60 Hz, LED: 3x4,5W LED: 8W, 230mA IP44

1.

2.

3.

4.

5.

8W

3x4,5W

ca 10° (max. 20°)

Max 16A

Wiring diagram showing a 230V AC input (circle with two dots) and a light bulb symbol connected to a terminal block with terminals labeled N, PE, and L.

Terminal block details:

- Terminal 1: 0,5 - 1,0 mm<sup>2</sup> wire, 8 mm length
- Terminal 2: 1,5 - 2,5 mm<sup>2</sup> wire, 12 mm length

Rev: 13.11.2017

**CORPORATE OFFICE:**  
**SG Armaturen AS**  
 Skytterheia 25  
 4790 Lillesand  
 NORGE

**BRANCH OFFICE:**  
 SG Lighting SA/NV  
 Blokhuisstraat 47  
 2800 Mechelen Noord I  
 BELGIQUE/BELGIË

Tlf:+32(0) 15 20 72 71  
 info.benelux@sglighting.net  
 www.sglighting.net

**BRANCH OFFICE:**  
 SG Armaturen A/S  
 Egebakken 19  
 7400 Herning  
 DANMARK

Tlf:+45 70 70 72 13  
 info@sg-as.dk  
 www.sg-as.dk

**BRANCH OFFICE:**  
 SG Lighting SA/NV  
 73 rue de Saint Mandrier  
 83140 Six Fours Les Plages  
 FRANCE

Tlf:+33(0) 4 94 93 00 00  
 info.france@sglighting.fr  
 www.sglighting.net

**BRANCH OFFICE:**  
 SG Leuchten GmbH  
 Nordstrasse 53  
 59399 Olfen  
 GERMANY

Tlf:+49 2595 3870 725  
 info@sg-leuchten.de  
 www.sg-leuchten.de

**BRANCH OFFICE:**  
 SG Armaturen AB  
 August Barksg. 30B  
 421 32 Västra Frölunda  
 SVERIGE

Tlf:+46 31 81 71 10  
 info@sg-ab.se  
 www.sg-ab.se