

## **CE – Declaration of Conformity**

Document: CE-UKCA250203D DiLED Frame Prism

Product Inspection: PI250122A Risk Assessment: RA250113D

We, SG Armaturen AS

Skytterheia 25

N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire
Туре
<b>DiLED Frame Prism</b>
Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

Directive 2014 / 30 / EU	Directive 2014 / 35 / EU	Directive 2009 / 125 / EF	
		(Regs 244/2009, 245/2009, 347/2010)*	
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	Ecodesign requirements (ECO) *As applicable and including amendments	

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

**EN 60598-1:2021+A11:2022** (Luminaires - General requirements)

**EN 60598-2-2:2012** (Luminaires - Recessed)

EN 62722-1:2022 (Luminaire performance - General requirements)
EN 62722-2-1:2023 (Luminaire performance - Particular requirements)

**EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)

**EN 62493:2015** (EMF – Lighting equipment related to human exposure)

**EN 55015:2019+A11:2020** (EMC - Radio disturbance)

**EN 61000-3-2:2019** (EMC - Harmonics)

**EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)

**EN 61547:2009** (EMC - Immunity)

CE declaration date: 2025

Statement of Conformity issued by SG Armaturen AS

ManufacturerMartin EttrupLillesand, 03/02-2025Approval EngineerPlace and date of issueName of authorized person



## **UKCA – Declaration of Conformity**

Document: CE-UKCA250203D DiLED Frame Prism

Product Inspection: PI250122A Risk Assessment: RA250113D

We, SG Armaturen AS

Skytterheia 25

N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

**DiLED Frame Prism** 

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

UK SI 2016 No. 1091	UK SI 2016 No. 1101	UK SI 2010 No. 2617	UK SI 2012 No. 3032
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

**EN 60598-1:2021+A11:2022** (Luminaires - General requirements)

**EN 60598-2-2:2012** (Luminaires - Recessed)

EN 62722-1:2022 (Luminaire performance - General requirements)
EN 62722-2-1:2023 (Luminaire performance - Particular requirements)

EN 62471:2008 (Luminaires – Photobiological safety of lamps and lamp systems)

**EN 62493:2015** (EMF – Lighting equipment related to human exposure)

**EN 55015:2019+A11:2020** (EMC - Radio disturbance)

**EN 61000-3-2:2019** (EMC - Harmonics)

**EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)

**EN 61547:2009** (EMC - Immunity)

**UK SI 2021 No. 1095** (Luminaires – The Ecodesign for Energy-Related products

and Energy Information)

UKCA declaration date: 2025

Statement of Conformity issued by SG Armaturen AS

ManufacturerMartin EttrupLillesand, 03/02-2025Approval EngineerPlace and date of issueName of authorized person

Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
5703821161329	DiLED Frame Prism 600x600 White 4210lm	3000K Ra>80 DALI-2	130239
5703821161343	DiLED Frame Prism 600x600 White 4480lm	4000K Ra>80 DALI-2	130239
5703821161367	DiLED Frame Prism 300x1200 White 4210lm	3000K Ra>80 On/Off	130239
5703821161381	DiLED Frame Prism 300x1200 White 4480lm	4000K Ra>80 On/Off	130239
5703821161336	DiLED Frame Prism 600x600 White 4480lm	4000K Ra>80 On/Off	130239
5703821161398	DiLED Frame Prism 300x1200 White 4480lm	4000K Ra>80 DALI-2	130239
5703821161312	DiLED Frame Prism 600x600 White 4210lm	3000K Ra>80 On/Off	130239
5703821163293	DiLED Frame Prism 625x625 White 4480lm	4000K Ra>80 DALI-2	130239
5703821163286	DiLED Frame Prism 625x625 White 4480lm	4000K Ra>80 On/Off	130239
5703821161374	DiLED Frame Prism 300x1200 White 4210lm	3000K Ra>80 DALI-2	130239