

## CE – Declaration of Conformity

Document: CE-UKCA250110C\_Rax 200 U19  
 Product Inspection: PI250109A  
 Risk Assessment: RA250107C

We, **SG Armaturen AS**  
**Skytterheia 25**  
**N-4790 Lillesand - Norway**

declare under sole responsibility that the product

### Luminaire

Type

**Rax 200 U19**

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>	<i>Directive 2014 / 35 / EU</i>	<i>Directive 2009 / 125 / EF</i>
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	(Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments

*RoHS 2011 / 65 / EU + RoHS III / EU 2015/863*

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

<b>EN 60598-1:2021+A11:2022</b>	(Luminaires - General requirements)
<b>EN 60598-2-2:2012</b>	(Luminaires - Recessed)
<b>EN 62471:2008</b>	(Luminaires – Photobiological safety of lamps and lamp systems)
<b>EN 62493:2015</b>	(EMF – Lighting equipment related to human exposure)
<b>EN 55015:2019+A11:2020</b>	(EMC - Radio disturbance)
<b>EN 61000-3-2:2019</b>	(EMC - Harmonics)
<b>EN 61000-3-3:2013+A1:2019</b>	(EMC – Voltage change, fluctuation & flicker)
<b>EN 61547:2009</b>	(EMC - Immunity)


CE declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

**Manufacturer**  
Lillesand, 10/01-2025  
 Place and date of issue

Martin Ettrup  
Approval Engineer  
 Name of authorized person

  
Signature of authorized person

## UKCA – Declaration of Conformity

Document: CE-UKCA250110C\_Rax 200 U19  
 Product Inspection: PI250109A  
 Risk Assessment: RA250107C

We, **SG Armaturen AS**  
**Skytterheia 25**  
**N-4790 Lillesand - Norway**

declare under sole responsibility that the product

**Luminaire**

Type

**Rax 200 U19**

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

<b>EN 60598-1:2021+A11:2022</b>	(Luminaires - General requirements)
<b>EN 60598-2-2:2012</b>	(Luminaires - Recessed)
<b>EN 62471:2008</b>	(Luminaires – Photobiological safety of lamps and lamp systems)
<b>EN 62493:2015</b>	(EMF – Lighting equipment related to human exposure)
<b>EN 55015:2019+A11:2020</b>	(EMC - Radio disturbance)
<b>EN 61000-3-2:2019</b>	(EMC - Harmonics)
<b>EN 61000-3-3:2013+A1:2019</b>	(EMC – Voltage change, fluctuation & flicker)
<b>EN 61547:2009</b>	(EMC - Immunity)
<b>UK SI 2021 No. 1095</b>	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2025

Statement of Conformity

issued by SG Armaturen AS

**Manufacturer**


Lillesand, 10/01-2025

Place and date of issue

Martin Ettrup

Approval Engineer

Name of authorized person



Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
5703821170383	Rax 200 U19 White 1580lm	3000K Ra>80 DALI-2	130252
5703821170376	Rax 200 U19 White 1580lm	3000K Ra>80 Trailing edge dimming	130252
5703821170437	Rax 200 U19 White 3100lm	3000K Ra>80 Trailing edge dimming	130252
5703821170451	Rax 200 U19 White 3210lm	4000K Ra>80 Trailing edge dimming	130252
5703821170420	Rax 200 U19 White 2360lm	4000K Ra>80 DALI-2	130252
5703821170444	Rax 200 U19 White 3100lm	3000K Ra>80 DALI-2	130252
5703821170468	Rax 200 U19 White 3210lm	4000K Ra>80 DALI-2	130252
5703821170390	Rax 200 U19 White 2280lm	3000K Ra>80 Trailing edge dimming	130252
5703821172332	Rax 200 U19 White 1630lm	4000K Ra>80 Trailing edge dimming	130252
5703821170413	Rax 200 U19 White 2360lm	4000K Ra>80 Trailing edge dimming	130252
5703821172349	Rax 200 U19 White 1630lm	4000K Ra>80 DALI-2	130252
5703821170406	Rax 200 U19 White 2280lm	3000K Ra>80 DALI-2	130252