



CE – Declaration of Conformity

Document: CE-UKCA240403A_Lineal Suspended
Product Inspection: PI240402A
Risk Assessment: RA240401A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Lineal Suspended

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

<i>Directive 2014 / 30 / EU</i>	<i>Directive 2014 / 35 / EU</i>	<i>Directive 2009 / 125 / EF</i>
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	(Regs 244/2009, 245/2009, 347/2010)* Ecodesign requirements (ECO) * As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-1:2021** (Luminaires – General purpose)
- EN 60598-2-22:2022** (Luminaires for emergency lighting)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)

CE declaration date: 2024

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 03/04-2024
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA240403A_Lineal Suspended
Product Inspection: PI240402A
Risk Assessment: RA240401A

We, **SG Armaturen AS**
Skytterheia 25
N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire

Type

Lineal Suspended

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

<i>UK SI 2016 No. 1091</i>	<i>UK SI 2016 No. 1101</i>	<i>UK SI 2010 No. 2617</i>	<i>UK SI 2012 No. 3032</i>
The Electromagnetic Compatibility Regulations 2010	The Electrical Equipment (Safety) Regulations 2016	The Ecodesign for Energy-Related Products Regulations 2010 Equipment (Safety) Regulations 2016	The Restriction of the Use of Certain Hazardous Substances in Electrical Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

- EN 60598-1:2021+A11:2022** (Luminaires - General requirements)
- EN 60598-2-1:2021** (Luminaires – General purpose)
- EN 60598-2-22:2022** (Luminaires for emergency lighting)
- EN 62471:2008** (Luminaires – Photobiological safety of lamps and lamp systems)
- EN 62493:2015** (EMF – Lighting equipment related to human exposure)
- EN 55015:2019+A11:2020** (EMC - Radio disturbance)
- EN 61000-3-2:2019** (EMC - Harmonics)
- EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)
- EN 61547:2009** (EMC - Immunity)
- UK SI 2021 No. 1095** (Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2024

Statement of Conformity

issued by SG Armaturen AS

Manufacturer
Lillesand, 03/04-2024
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Martin Ettrup
Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
5703821178044	Lineal suspended 1120 White 3590lm	3000K Ra>80 DALI	130331
5703821177993	Lineal suspended 1400 Black 4500lm	4000K Ra>80 DALI	130331
5703821178020	Lineal suspended 840 White 2520lm	3000K Ra>80 DALI	130331
5703821178051	Lineal suspended 1120 White 3830lm	4000K Ra>80 DALI	130331
5703821178068	Lineal suspended 1400 White 4640lm	3000K Ra>80 DALI	130331
5703821177962	Lineal suspended 1120 Black 3300lm	3000K Ra>80 DALI	130331
5703821177948	Lineal suspended 840 Black 2360lm	3000K Ra>80 DALI	130331
5703821178075	Lineal suspended 1400 White 4960lm	4000K Ra>80 DALI	130331
5703821177955	Lineal suspended 840 Black 2480lm	4000K Ra>80 DALI	130331
5703821177979	Lineal suspended 1120 Black 3470lm	4000K Ra>80 DALI	130331
5703821177986	Lineal suspended 1400 Black 4280lm	3000K Ra>80 DALI	130331
5703821178037	Lineal suspended 840 White 2690lm	4000K Ra>80 DALI	130331
5703821178549	Lineal suspended 1400 Black 4500lm	4000K Ra>80 DALI Nødlys 3t	130331
5703821179607	Lineal 1400 Påbyg D 35W 4000lm	3000K Ra>80 CD-DA	130331
5703821178532	Lineal suspended 1400 White 4960lm	4000K Ra>80 DALI Nødlys 3t	130331
7346138886	Lineal suspended 1400 32W 3880lm	4000K Ra>80 CD-DA	130331
5703821181075	Lineal suspended 1900 White 6710lm	4000K Ra>80 CD-DA	130331
5703821181532	Lineal suspended Black 6200lm	4000K Ra>80 DALI	130331
5703821183338	Lineal suspended Black 6200lm	4000K Ra>80 DALI	130331
5703821183352	Lineal suspended 1120 Black 1800lm	3000K Ra>80	130331
5703821178112	Lineal Corner Black 1830lm	4000K Ra>80 DALI	130331
5703821178082	Lineal Corner Black 1740lm	3000K Ra>80 DALI	130331
5703821178099	Lineal Corner White 1970lm	4000K Ra>80 DALI	130331
5703821178105	Lineal Corner White 1870lm	3000K Ra>80 DALI	130331
5703821181525	Lineal Corner Black 3470lm	4000K Ra>80 DALI	130331
5703821181518	Lineal Corner Black 3470lm	4000K Ra>80 DALI	130331