

CE – Declaration of Conformity

Document: CE-UKCA231023C Callisto Pole

Product Inspection: PI231020A Risk Assessment: RA231019C

We, SG Armaturen AS

Skytterheia 25

N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire	
Туре	
Callisto Pole	
Name(s)	

To which this declaration relates is in conformity with the following EC-directive(s):

Directive 2014 / 30 / EU	Directive 2014 / 35 / EU	Directive 2009 / 125 / EF	
		(Regs 244/2009, 245/2009, 347/2010)*	
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	Ecodesign requirements (ECO) *As applicable and including amendments	

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022 (Luminaires - General requirements)
EN 60598-2-1:1989 (Luminaires - Fixed general purpose)
EN 60598-2-3:2003+A1:2011 (Luminaires - Road & Street lighting)
EN 60598-2-3/ Corr.: 2006 (Luminaires - Road & Street lighting)

EN 62471:2008 (Luminaires – Photobiological safety of lamps and lamp systems)

EN 62493:2015 (EMF – Lighting equipment related to human exposure)

EN 55015:2019+A11:2020 (EMC - Radio disturbance)

EN 61000-3-2:2019 (EMC - Harmonics)

EN 61000-3-3:2013+A1:2019 (EMC – Voltage change, fluctuation & flicker)

EN 61547:2009 (EMC - Immunity)

CE declaration date: 2023

Statement of Conformity issued by SG Armaturen AS

Manufacturer
Lillesand, 23/10-2023
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Mowing Little Signature of authorized person



UKCA – Declaration of Conformity

Document: CE-UKCA231023C Callisto Pole

Product Inspection: PI231020A Risk Assessment: RA231019C

We, SG Armaturen AS

Skytterheia 25

N-4790 Lillesand - Norway

declare under sole responsibility that the product

Type

Callisto Pole

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

UK SI 2016 No. 1091	UK SI 2016 No. 1101	UK SI 2010 No. 2617	UK SI 2012 No. 3032
The Electromagnetic Compatibility Regulations 2010	The Electrical	The Ecodesign for Energy-Related	The Restriction of the Use of Certain
	Equipment (Safety)	Products Regulations 2010	Hazardous Substances in Electrical
	Regulations 2016	Equipment (Safety) Regulations 2016	Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022 (Luminaires - General requirements)
EN 60598-2-1:1989 (Luminaires - Fixed general purpose)
EN 60598-2-3:2003+A1:2011 (Luminaires - Road & Street lighting)
EN 60598-2-3/ Corr.: 2006 (Luminaires - Road & Street lighting)

EN 62471:2008 (Luminaires – Photobiological safety of lamps and lamp systems)

EN 62493:2015 (EMF – Lighting equipment related to human exposure)

EN 55015:2019+A11:2020 (EMC - Radio disturbance)

EN 61000-3-2:2019 (EMC - Harmonics)

EN 61000-3-3:2013+A1:2019 (EMC – Voltage change, fluctuation & flicker)

EN 61547:2009 (EMC - Immunity)

UK SI 2021 No. 1095 (Luminaires – The Ecodesign for Energy-Related products

and Energy Information)

UKCA declaration date: 2023

Statement of Conformity issued by SG Armaturen AS

ManufacturerMartin EttrupLillesand, 23/10-2023Approval EngineerPlace and date of issueName of authorized person

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021989231073	Callisto Pole Graphite 60lm Callisto Pole White 120lm Callisto Pole Graphite 110lm Callisto Pole Black 110lm Callisto Pole Black 60lm Callisto Pole Black 60lm Callisto Pole Graphite 60lm Callisto Pole Black	2700K Ra>80 edge dimming	700275
7021989120056		3000K Ra>80 edge dimming	700275
7021989230052		3000K Ra>80 edge dimming	700275
7021989140054		3000K Ra>80 edge dimming	700275
7021989141051		3000K Ra>80 edge dimming	700275
7021989141075		2700K Ra>80 edge dimming	700275
7021989231059		3000K Ra>80 edge dimming	700275
7021989141082		4000K Ra>80 edge dimming	700275