

CE – Declaration of Conformity

Document: Product Inspection: Risk Assessment: CE-UKCA221202B_Con PI221201A RA221108A

We, SG Armaturen AS Skytterheia 25 N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire
 Туре
Con
Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

Directive 2014 / 30 / EU	Directive 2014 / 35 / EU	Directive 2009 / 125 / EF
		(Regs 244/2009, 245/2009, 347/2010)*
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	Ecodesign requirements (ECO) * As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2022

Statement of Conformity

Manufacturer Lillesand, 02/12-2022 Place and date of issue Martin Ettrup Approval Engineer Name of authorized person issued by SG Armaturen AS

Signature of authorized person



UKCA – Declaration of Conformity

Document: Product Inspection: Risk Assessment: CE-UKCA221202B_Con PI221201A RA221108A

We,

SG Armaturen AS Skytterheia 25 N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire
Туре

Con

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

UK SI 2016 No. 1091	UK SI 2016 No. 1101	UK SI 2010 No. 2617	UK SI 2012 No. 3032
The Electromagnetic	The Electrical	The Ecodesign for Energy-Related	The Restriction of the Use of Certain
Compatibility	Equipment (Safety)	Products Regulations 2010	Hazardous Substances in Electrical
Regulations 2010	Regulations 2016	Equipment (Safety) Regulations 2016	Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2022

Statement of Conformity

Manufacturer Lillesand, 02/12-2022 Place and date of issue Martin Ettrup Approval Engineer Name of authorized person issued by SG Armaturen AS

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type Art	ticle group
7021989128168 7021989128069 7021989978152 7021989978169 7021989128335 7021989978060 7021989978053	Conny White 1080lm Conny White DTW 1035lm Conny Brushed steel 1440lm Conny Brushed steel 1080lm Conny White 1125lm Conny Brushed steel DTW 1035lm Conny Brushed steel DTW 1380lm	2700K Ra>90 Trailing edge dimming 2000-2800K Ra>90 Trailing edge dimming 2700K Ra>90 Trailing edge dimming 2700K Ra>90 Trailing edge dimming 3000K Ra>90 Trailing edge dimming 2000-2800K Ra>90 Trailing edge dimming 2000-2800K Ra>90 Trailing edge dimming	700420 700420 700420 700420 700420 700420 700420 700420 700420
7021989128762 7021989128755 7021989128779 7021989128748 7021989128045 7021989978329 7021989978046	Conny White Conny White Conny White Conny White DTW 345Im Conny Brushed steel Conny Brushed steel	3000K Ra>90 Trailing edge dimming 3000K Ra>90 Trailing edge dimming 3000K Ra>90 Trailing edge dimming 3000K Ra>90 Integrated dimmer 2000-2800K Ra>90 Integrated dimmer 2700K Ra>95 Trailing edge dimming 2000-2800K Ra>90 Integrated dimmer	700420 700420 700420 700420 700420 700420 700420 700420

