## **CE – Declaration of Conformity**

Document: Product Inspection: Risk Assessment: CE-UKCA241204A\_Sense PI241203A RA241010A

We,

SG Armaturen AS Skytterheia 25 N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire		
	Туре	
Sense		

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

Directive 2014 / 30 / EU	Directive 2014 / 35 / EU	Directive 2009 / 125 / EF
		(Regs 244/2009, 245/2009, 347/2010)*
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	Ecodesign requirements (ECO) *As applicable and including amendments

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-2:2012	(Luminaires - Recessed)
EN 60598-2-22:2014	(Luminaires – emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2024

Statement of Conformity

Manufacturer Lillesand, 04/12-2024 Place and date of issue Martin Ettrup Approval Engineer Name of authorized person issued by SG Armaturen AS

Signature of authorized person

## **UKCA – Declaration of Conformity**

Document: Product Inspection: Risk Assessment: CE-UKCA241204A\_Sense PI241203A RA241010A

We,

SG Armaturen AS Skytterheia 25 N-4790 Lillesand - Norway

declare under sole responsibility that the product

Lu	ıminaire
	Туре

## Sense

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

UK SI 2016 No. 1091	UK SI 2016 No. 1101	UK SI 2010 No. 2617	UK SI 2012 No. 3032
The Electromagnetic	The Electrical	The Ecodesign for Energy-Related	The Restriction of the Use of Certain
Compatibility	Equipment (Safety)	Products Regulations 2010	Hazardous Substances in Electrical
Regulations 2010	Regulations 2016	Equipment (Safety) Regulations 2016	Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-2:2012	(Luminaires - Recessed)
EN 60598-2-22:2014	(Luminaires – emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2024

Statement of Conformity

Manufacturer Lillesand, 04/12-2024 Place and date of issue Martin Ettrup Approval Engineer Name of authorized person issued by SG Armaturen AS

Signature of authorized person



Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description		Article type	Article group
7021982121524 7021982121616	Sense 600x600 White 5000lm 0 Sense 600x600 White 3000lm/4		3000K Ra>80 4000K Ra>80	701570 701570
Drivers				
7021988201947 7021988204900 7021988204917 7021988200834 7021988201961 7021988200971 7021988200957	Sense Driver White Sense Driver White Sense Driver White Sense Driver White Sense Driver White	3000lm 26W 7 3000lm 26W 7 TW DALI DT8 TW DALI DT8	495 - 700 mA '00mA Trailing edge dimming '00mA Trailing edge dimming '00mA DALI / Push Dim RAX 200 -900 mA SENSE 320 - 450 mA SENSE 255 - 350 mA	

## Emergencybox

5703821177344	Emergencybox Driver	DALI / EM Emergency 3 hours DALI
5703821177276	Emergencybox	On-Off/Trailing edge / EM Self-test, Emergency 3h
5703821177504	Emergencybox Driver	DALI / EM DALI/Self-test, Emergency 3 hours