CE – Declaration of Conformity

Document: Product Inspection: Risk Assessment: CE-UKCA241216A_Arlon Round PI230616A RA230615B

We,

SG Armaturen AS Skytterheia 25 N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire		
 Туре		

Arlon Round

Name(s)

To which this declaration relates is in conformity with the following EC-directive(s):

Directive 2014 / 30 / EU	Directive 2014 / 35 / EU	Directive 2009 / 125 / EF	
		(Regs 244/2009, 245/2009, 347/2010)*	
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	Ecodesign requirements (ECO) * As applicable and including amendments	

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2014	(Luminaires – emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)

CE declaration date: 2024

Statement of Conformity

Manufacturer Lillesand, 16/12-2024 Place and date of issue Martin Ettrup Approval Engineer Name of authorized person issued by SG Armaturen AS

Signature of authorized person

UKCA – Declaration of Conformity

Document: Product Inspection: Risk Assessment: CE-UKCA241216A_Arlon Round PI230616A RA230615B

We,

SG Armaturen AS Skytterheia 25 N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire
 Туре

Arlon Round

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

UK SI 2016 No. 1091	UK SI 2016 No. 1101	UK SI 2010 No. 2617	UK SI 2012 No. 3032
The Electromagnetic	The Electrical	The Ecodesign for Energy-Related	The Restriction of the Use of Certain
Compatibility	Equipment (Safety)	Products Regulations 2010	Hazardous Substances in Electrical
Regulations 2010	Regulations 2016	Equipment (Safety) Regulations 2016	Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022	(Luminaires - General requirements)
EN 60598-2-1:2021	(Luminaires – General purpose)
EN 60598-2-22:2014	(Luminaires – emergency lighting)
EN 62471:2008	(Luminaires – Photobiological safety of lamps and lamp systems)
EN 62493:2015	(EMF – Lighting equipment related to human exposure)
EN 55015:2019+A11:2020	(EMC - Radio disturbance)
EN 61000-3-2:2019	(EMC - Harmonics)
EN 61000-3-3:2013+A1:2019	(EMC – Voltage change, fluctuation & flicker)
EN 61547:2009	(EMC - Immunity)
UK SI 2021 No. 1095	(Luminaires – The Ecodesign for Energy-Related products and Energy Information)

UKCA declaration date: 2024

Statement of Conformity

Manufacturer Lillesand, 16/12-2024 Place and date of issue Martin Ettrup Approval Engineer Name of authorized person issued by SG Armaturen AS

Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021986536034 7021986536003 7021986536010 7021986536027 7021986536188 7001005520174	Arlon Round White 1120lm Arlon Round Black 790lm Arlon Round Black 840lm Arlon Round White 1050lm Arlon Round Corten 840lm	3000K Ra>80 Trailing edge dimming 2700K Ra>80 Trailing edge dimming 3000K Ra>80 Trailing edge dimming 2700K Ra>80 Trailing edge dimming 3000K Ra>80 Trailing edge dimming 2700K Ra>80 Trailing edge dimming	703010 703010 703010 703010 703010 703010
7021986536171 7021986536089 7021986536096 7021986536102 7021986536119 7021986536232	Arlon Round Corten 790lm Arlon Round Black 790lm Arlon Round Black 840lm Arlon Round White 1050lm Arlon Round White 1120lm Arlon Round Black	2700K Ra>80 Trailing edge dimming 2700K Ra>80 DALI-2 3000K Ra>80 DALI-2 2700K Ra>80 DALI-2 3000K Ra>80 DALI-2 4000K	703010 703010 703010 703010 703010 703010 703010