

## **CE – Declaration of Conformity**

Document: CE-UKCA240805A Sense Pro

Product Inspection: PI240710A Risk Assessment: RA240708A

We, SG Armaturen AS

Skytterheia 25

N-4790 Lillesand - Norway

declare under sole responsibility that the product

Luminaire	
Туре	_
Sense Pro	
Name(s)	

To which this declaration relates is in conformity with the following EC-directive(s):

Directive 2014 / 30 / EU	Directive 2014 / 35 / EU	Directive 2009 / 125 / EF	
		(Regs 244/2009, 245/2009, 347/2010)*	
Electromagnetic compatibility (EMC)	Low Voltage directive (LVD)	Ecodesign requirements (ECO) *As applicable and including amendments	

RoHS 2011 / 65 / EU + RoHS III / EU 2015/863

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022 (Luminaires - General requirements)

**EN 60598-2-2:2012** (Luminaires - Recessed)

EN 60598-2-22:2014 (Luminaires – emergency lighting)

EN 62471:2008 (Luminaires – Photobiological safety of lamps and lamp systems)

**EN 62493:2015** (EMF – Lighting equipment related to human exposure)

**EN 55015:2019+A11:2020** (EMC - Radio disturbance)

**EN 61000-3-2:2019** (EMC - Harmonics)

**EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)

**EN 61547:2009** (EMC - Immunity)

CE declaration date: 2024

Statement of Conformity issued by SG Armaturen AS

Manufacturer
Lillesand, 05/08-2024
Place and date of issue

Martin Ettrup
Approval Engineer
Name of authorized person

Signature of authorized person



## **UKCA – Declaration of Conformity**

Document: CE-UKCA240805A Sense Pro

Product Inspection: PI240710A Risk Assessment: RA240708A

We, SG Armaturen AS

Skytterheia 25

N-4790 Lillesand - Norway

declare under sole responsibility that the product

Type

Sense Pro

Name(s)

To which this declaration relates is in conformity with the following UK-regulations:

UK SI 2016 No. 1091	UK SI 2016 No. 1101	UK SI 2010 No. 2617	UK SI 2012 No. 3032
The Electromagnetic Compatibility Regulations 2010	The Electrical	The Ecodesign for Energy-Related	The Restriction of the Use of Certain
	Equipment (Safety)	Products Regulations 2010	Hazardous Substances in Electrical
	Regulations 2016	Equipment (Safety) Regulations 2016	Equipment Regulations 2012

The conformity of the product with the provisions of the directives is stated by the compliance with the following standards:

EN 60598-1:2021+A11:2022 (Luminaires - General requirements)

**EN 60598-2-2:2012** (Luminaires - Recessed)

EN 60598-2-22:2014 (Luminaires – emergency lighting)

EN 62471:2008 (Luminaires – Photobiological safety of lamps and lamp systems)

**EN 62493:2015** (EMF – Lighting equipment related to human exposure)

**EN 55015:2019+A11:2020** (EMC - Radio disturbance)

**EN 61000-3-2:2019** (EMC - Harmonics)

**EN 61000-3-3:2013+A1:2019** (EMC – Voltage change, fluctuation & flicker)

**EN 61547:2009** (EMC - Immunity)

**UK SI 2021 No. 1095** (Luminaires – The Ecodesign for Energy-Related products

and Energy Information)

UKCA declaration date: 2024

Statement of Conformity issued by SG Armaturen AS

ManufacturerMartin EttrupLillesand, 05/08-2024Approval EngineerPlace and date of issueName of authorized person

Signature of authorized person

Declaration of Conformity statements/valid for the following products:

Product ID Number	Product Description	Article type	Article group
7021982126710 7021982126727	Sense Pro 600x600 White Sense Pro 600x600 White	4000K Ra>80 3000K Ra>90	703075 703075
7021982126734 7021982126796	Sense Pro 600x600 White Sense Pro 600x600 Black	4000K Ra>90 4000K Ra>80	703075 703075
7021982126789	Sense Pro 600x600 Black	3000K Ra>80	703075
7021982126703	Sense Pro 600x600 White	3000K Ra>80	703075
Drivers			
7021988204061	Sense Driver White	5000lm 40W 1050mA Trailing edge d	limming
7021988204030	Sense Driver White	4000lm 33W 900mA Trailing edge dir	
7021988204900	Sense Driver White	3000lm 26W 700mA Trailing edge dir	
7021988204917	Sense Driver White	3000lm 26W 700mA Trailing edge dir	
7021988204061	Sense Driver White	5000lm 40W 1050mA Trailing edge d	
7021988204047	Sense Driver White	4000lm 33W 900mA DALI / Push Din	· =
7021988204054	Sense Driver White	4000lm 33W 900mA Trailing edge dir	J
7021988204078	Sense Driver White	5000lm 40W 1050mA DALI / Push Di	
7021988200834	Sense Driver White	3000lm 26W 700mA DALI / Push Din	· =
7021988204924	Sense Driver White	4000lm 32W 900mA Trailing edge dir	•
7021988204085	Sense Driver White	5000lm 38W 1050mA Trailing edge d	
7021988204931	Sense Driver White	4000lm 32W 900mA Trailing edge dir	•
7021988204948	Sense Driver White	5000lm 38W 1050mA Trailing edge d	limming
Emergencybox			
5703821177344	Emergencybox Driver	DALI / EM Emergency 3 hours DALI	
5703821177276	Emergencybox	On-Off/Trailing edge / EM Self test, E	mergency 3 hours
5703821177504	Emergencybox Driver	DALI / EM DALI/Self test, Emergency	